

COVID-19 Vaccine Schedule

TABLE 1: NOT IMMUNOCOMPROMISED INDIVIDUALS

Age group	Vaccine type	COVID-19 immunization history	Recommended XBB.1.5 doses	When to book your appointment		
				FIRST dose XBB.1.5 vaccine	SECOND dose XBB.1.5 vaccine	THIRD dose XBB.1.5 vaccine
12 years and older	mRNA	Received one or more previous doses	1	3 months after last dose	Not applicable	Not applicable
		Unimmunized	1	As soon as you can	Not applicable	Not applicable
	Novavax	Received one or more previous doses	1	3 months after last dose	Not applicable	Not applicable
		Unimmunized	2	As soon as you can	8 weeks after your first dose*	Not applicable
5 to 11 years	mRNA	Received one or more previous doses	1	3 months after last dose	Not applicable	Not applicable
		Unimmunized	1	As soon as you can	Not applicable	Not applicable
6 months to 4 years	mRNA	Received two or more previous doses	1	3 months after last dose	Not applicable	Not applicable
		Received one previous dose	1	8 weeks after last dose	Not applicable	Not applicable
		Unimmunized	2	As soon as you can	8 weeks after your first dose	Not applicable

*a 4-week interval may be considered.

Notes

- **COVID-19 immunization history** refers to any previous dose(s) of mRNA vaccines (original monovalent or bivalent Moderna, Pfizer-BioNTech) and non-mRNA COVID-19 vaccines (AstraZeneca, Janssen, Novavax, and WHO-approved COVID-19 vaccines). If you received a COVID-19 vaccine not approved by Health Canada, please call Health Link (811).
- **Immunocompromised individuals:** check the list of eligible immunocompromising conditions [here](#).
- **Available COVID-19 vaccines:**
 - mRNA XBB.1.5 vaccines are available to Albertans aged 6 months and older and are the vaccines of choice recommended by NACI.
 - non-mRNA XBB.1.5 vaccine is available to Albertans aged 12 years and older in limited quantities at select AHS sites across Alberta.
- **Vaccine after infection:** It is recommended that the COVID-19 vaccine be delayed for those who have tested positive for COVID-19 (by PCR or rapid antigen test). See Table 3 below for more details. If you have questions, please call Health Link (811) or ask your healthcare provider.

TABLE 2: IMMUNOCOMPROMISED INDIVIDUALS

Age group	Vaccine type	COVID-19 immunization history	Recommended XBB.1.5 doses	When to book your appointment		
				FIRST dose XBB.1.5 vaccine	SECOND dose XBB.1.5 vaccine	THIRD dose XBB.1.5 vaccine
12 years and older	mRNA and Novavax	Received three or more previous doses	1	3 months after last dose	Not applicable	Not applicable
		Received two previous doses	1	8 weeks after last dose*	Not applicable	Not applicable
		Received one previous dose	2	4 weeks after last dose	8 weeks after your first dose*	Not applicable
		Unimmunized	2	As soon as you can	8 weeks after your first dose*	Not applicable
5 to 11 years	mRNA	Received three or more previous doses	1	3 months after last dose	Not applicable	Not applicable
		Received two previous doses	1	8 weeks after last dose*	Not applicable	Not applicable
		Received one previous dose	2	4 weeks after last dose	8 weeks after your first dose*	Not applicable
		Unimmunized	2	As soon as you can	8 weeks after your first dose*	Not applicable
6 months to 4 years	mRNA	Received three or more previous doses	1	3 months after last dose	Not applicable	Not applicable
		Received two previous doses	1	8 weeks after last dose*	Not applicable	Not applicable
		Received one previous dose	2	4 weeks after last dose	8 weeks after your first dose*	Not applicable
		Unimmunized	3	As soon as you can	4 weeks after your first dose	8 weeks after your second dose*

*a 4-week interval may be considered.

Notes

- **COVID-19 immunization history** refers to any previous dose(s) of mRNA vaccines (original monovalent or bivalent Moderna, Pfizer-BioNTech) and non-mRNA COVID-19 vaccines (AstraZeneca, Janssen, Novavax, and WHO-approved COVID-19 vaccines). If you received a COVID-19 vaccine that is not approved by Health Canada, please call Health Link (811).
- **Immunocompromised individuals:** check the list of eligible immunocompromising conditions [here](#).
- **Available COVID-19 vaccines:**
 - mRNA XBB.1.5 vaccines are the COVID-19 vaccines of choice for immunocompromised individuals in Alberta.
 - non-mRNA XBB.1.5 vaccine is available to immunocompromised Albertans aged 12 years and older in limited quantities at select AHS sites across Alberta.
- **Vaccine after infection:** It is recommended that the COVID-19 vaccine be delayed for those who have tested positive for COVID-19 (by PCR or rapid antigen test). See Table 3 below for more details. If you have questions, please call Health Link (811), or ask your healthcare provider.

TABLE 3: COVID-19 VACCINE AFTER INFECTION

NOT IMMUNOCOMPROMISED		
Age group	Vaccine history	Interval between dose and positive COVID-19 test
5 years and older	Any	3 months
6 months to 4 years	Two or more previous doses	3 months
	One previous dose	8 weeks
	Unimmunized	8 weeks
IMMUNOCOMPROMISED		
Age group	Vaccine history	Interval between dose and positive COVID-19 test
6 months and older	Three or more previous doses	3 months
	One or two previous doses	4 – 8 weeks
	Unimmunized	4 – 8 weeks

Notes

- For individuals with a history of multisystem inflammatory syndrome in children (MIS-C), please consult your primary care provider.