## **COVID-19** daily epidemiology update

Updated: July 26, 2021, 7 pm EST


Summary of COVID-19 cases across Canada and over time. Contains detailed data about the spread of the virus over time and in different regions of the country. Includes breakdowns by age and sex or gender. Provides an overview of hospitalizations and deaths, testing, variants of concern and exposures.

### Key updates as of July 26, 2021, 7 pm EST

Cases today	Total case	s	Active cases	Total re	solved	Deaths today	Total deaths
439	1,427,3	42	5,049	1,395	5,740	6	26,553
Total tests p	erformed	Daily pe	rcent positive (last	7 days)	Daily tests	per 100,000 popula	tion (last 7 days
38,267	346		1.1%			134	

- We update these sections daily at 7:00 PM EST: Key updates, Current situation and National overview.
   Laboratory data represents specimens received by labs up to July 24, 2021 to allow time to process results.
- We update these sections every Friday: Epidemic curve, Demographics, How people were exposed, and Severe illness and outcomes.
- Most cases (64.9%) and deaths (77.4%) were reported by Ontario and Quebec.
- Of the 11 of jurisdictions reporting updates, no new cases were reported in 3 of provinces or territories in the past 24 hours.
- Of the 11 jurisdictions reporting updates, no new deaths were reported in 7 provinces or territories in the past 24 hours.

#### **Current situation**



The count of cases (last 7 days) of COVID-19 in Canada was 3,558 as of July 26, 2021.

This information is based on data our provincial and territorial partners published on cases, deaths, and testing daily, and are current as of the day they are published. Today's numbers are current as of July 26, 2021, 7 pm EST. For the most up to date data for any province, territory or city, please visit their website. The number of cases or deaths reported on previous days may differ slightly from those on the provincial and territorial websites as these websites may update historic case and death counts as new information becomes available.

#### Areas in Canada with cases of COVID-19 as of July 26, 2021


	Total cases	3	Cases I	ast 7	Active o	cases	Resolved	Deaths		Deaths days	last 7	Total tests	Moving a tests per last 7 da	formed	Moving average positivity last 7 days
Location	Count	Rate*	Count	Rate*	Count	Rate*	Count	Count	Rate*	Count	Rate*	Count	Count	Rate*	Percent
Canada	1,427,342	3,756	3,558	9	5,049	13	1,395,740	26,553	70	50	0	38,267,346	51,091	134	1.1%
British Columbia	149,109	2,897	622	12	705	14	146,636	1,768	34	5	0	3,047,239	7,625	148	1.3%
Alberta	233,547	5,282	741	17	1,083	24	230,142	2,322	53	6	0	4,819,532	6,061	137	1.7%
Saskatchewan	49,727	4,219	277	24	356	30	48,792	579	49	4	0	949,208	1,380	117	3.2%
Manitoba	57,456	4,166	256	19	528	38	55,756	1,172	85	7	1	910,323	1,690	123	2.9%
Ontario	549,447	3,729	1,100	7	1,429	10	538,702	9,316	63	22	0	16,331,751	16,899	115	0.9%
Quebec	376,828	4,395	498	6	814	9	364,774	11,240	131	5	0	10,260,993	13,689	160	0.7%
Newfoundland and Labrador	1,437	275	0	0	39	7	1,391	7	1	0	0	312,279	284	54	0.1%
New Brunswick	2,351	301	5	1	7	1	2,298	46	6	0	0	389,592	605	77	0.1%
Nova Scotia	5,883	601	10	1	13	1	5,777	93	10	1	0	1,014,542	2,668	272	0.1%
Prince Edward Island	208	130	0	0	0	0	208	0	0	0	0	178,588	145	91	0.0%
Yukon	551	1,310	49	117	75	178	470	6	14	0	0	9,129	N/A	N/A	N/A
Northwest Territories	128	283	0	0	0	0	128	0	0	0	0	25,581	31	69	0.5%
Nunavut	657	1,670	0	0	0	0	653	4	10	0	0	18,513	15	38	0.0%


<sup>\*</sup> Rate per 100,000 population

Figure 1b. Moving average of

# cases (last 7 days) of COVID-19 in Canada as of July 26, 2021, 7 pm EST

The figures below show cases over time. The range of dates (January 31st, 2020 - present date) is the same for each figure. This allows you to compare the provinces and territories on the same timescale.





This information is based on data our provincial and territorial partners published on cases, deaths, and testing daily, and are current as of the day they are published. Today's numbers are current as of July 26, 2021, 7 pm EST. For the most up to date data for any province, territory or city, please visit their website. The number of cases or deaths reported on previous days may differ slightly from those on the provincial and territorial websites as these websites may update historic case and death counts as new information becomes available.

#### Downloadable data (in .csv format).

Note: Out of the total number of people tested, 76 were repatriated travellers, of which 13 were cases.

### **National overview**

There have been over **38,267,346** COVID-19 tests performed in Canada or **457,522 tests per 1 million people**. For information about testing trends, please see the <u>Detailed weekly epidemiological report (PDF)</u>.

Table 1. Daily\* change in the number of cases, deaths and tests performed, by province or territory, as of July 26, 2021, 7 pm EST

Location	Cases	Deaths	Tests performed
Canada	439	6	115,934
British Columbia	94	1	14,952
Alberta	94	0	19,978
Saskatchewan	44	1	931
Manitoba	11	0	3,060
Ontario	119	3	33,033
Quebec	75	1	40,391
Newfoundland and Labrador	0	0	528
New Brunswick	1	0	501
Nova Scotia	1	0	2,261
Prince Edward Island	N/A	N/A	244
Yukon	N/A	N/A	N/A
Northwest Territories	0	0	45
Nunavut	0	0	10

<sup>\*</sup> The change in cases, deaths and tests reflect the difference between a province or territory's current report and their last report. Some provinces and territories do not update daily. N/A means that no daily update was provided by the province or territory.

### **COVID-19 variants in Canada**

All viruses, including COVID-19, change over time. These changes are called mutations, and result in variants of the virus. Not all mutations are of concern. Most do not cause more severe illness. However, some mutations result in variants of concern or variants of interest.

A variant of concern has mutations that are significant to public health. Before a variant of interest is considered one of concern, scientists and public health professionals must determine if the mutations result in an actual change in the behaviour of the virus. For example, it might:

- · spread more easily
- · cause more severe illness
- · require different treatments, or
- · reduce vaccine effectiveness

There are several variants of interest that have mutations similar to variants of concern, but we don't yet know if they pose a higher risk to public health.

The Public Health Agency of Canada (PHAC) works with provincial and territorial partners and the Canadian COVID-19 Genomics Network (CanCOGeN) to sequence a percentage of all positive COVID-19 test results. Sequencing reveals the genetic code of the virus, which tells us which variant is involved in a specific case of COVID-19. We report the proportion of COVID-19 variants in Canada every week.

We collect evidence to determine if new variants meet the definition for a <u>variant of concern or a variant of interest</u>. Many variants are being tracked across Canada and around the world. Variants of concern now represent a majority of COVID-19 cases in Canada.


Four VOC (Variants of concern)s have been detected in most provinces and territories:

- B.1.1.7 (Alpha)
- B.1.351 (Beta)
- P.1 (Gamma)
- B.1.617.2 (Delta)

New variants will continue to appear. We must remain vigilant and take all available measures to limit spread.

#### Figure 2. Weekly variant breakdown

The graphic shows the percentage mix of COVID-19 variants detected in Canada through whole genome sequencing, by week of sample collection. You can see the numbers for each date by hovering over, tabbing to, or long-pressing any of the bars. To see a specific variant or variant grouping, click or press return. Repeat to restore the complete graph.



Week of sample collection

This information is based on whole genome sequencing from surveillance testing in all provinces and territories. In addition to sequencing done by the National Microbiology Laboratory in Winnipeg, data is included from <u>provincial and territorial</u> laboratories.

Sequencing takes from 1 to 3 weeks to complete, so the proportions for recent weeks may change as more data are added. Surveillance in each province or territory is organized and prioritized according to local needs and may change from time to time. Because of differences in local sampling and reporting, the percentages illustrate trends rather than precise measurements.

#### Weekly variant breakdown

Percentage of COVID-19 cases identified through whole genome sequencing, presented by variant and by week of sample collection.

Variant Grouping	May 09, 2021 (n=3,535)	May 16, 2021 (n=3,039)	May 23, 2021 (n=2,429)	May 30, 2021 (n=2,413)	Jun 06, 2021 (n=2,237)	<b>Jun 13, 2021</b> (n=2,093)	<b>Jun 20,</b> <b>2021</b> (n=1,424)	<b>Jun 27, 2021</b> (n=111)	<b>Jul 04, 2021</b> (n=70)
Variants of concern	90.7%	94.0%	95.1%	97.1%	92.0%	89.4%	91.6%	91.9%	92.9%
Alpha	55.3%	53.7%	55.5%	57.5%	53.2%	41.9%	47.6%	18.9%	15.7%
Beta	0.8%	0.9%	0.3%	0.4%	0.1%	0.1%	1.3%	_	1.4%
Delta	9.1%	10.5%	13.3%	16.1%	21.6%	33.5%	29.2%	50.5%	70.0%
Gamma	25.5%	28.9%	26.0%	23.0%	17.2%	13.9%	13.6%	22.5%	5.7%

Variant Grouping	May 09, 2021 (n=3,535)	May 16, 2021 (n=3,039)	May 23, 2021 (n=2,429)	May 30, 2021 (n=2,413)	Jun 06, 2021 (n=2,237)	<b>Jun 13, 2021</b> (n=2,093)	Jun 20, 2021 (n=1,424)	<b>Jun 27, 2021</b> (n=111)	<b>Jul 04, 2021</b> (n=70)
Variants of interest	3.6%	2.8%	2.4%	2.0%	3.5%	4.2%	4.3%	5.4%	-
A.23.1	0.0%	0.0%	-	-	-	-	-	-	-
B.1.1.318	0.4%	0.7%	0.6%	0.9%	1.3%	1.1%	1.3%	3.6%	-
Epsilon	0.6%	0.6%	0.5%	0.5%	0.2%	0.2%	0.1%	_	-
Eta	1.7%	1.2%	0.7%	0.4%	1.7%	2.7%	2.7%	1.8%	-
lota	0.5%	0.1%	0.7%	0.1%	0.2%	0.1%	_	_	-
Карра	0.2%	0.2%	0.0%	0.0%	-	-	_	_	-
Lambda	0.1%	-	_	-	0.0%	0.0%	0.1%	_	-
Theta	0.0%	-	-	-	-	0.0%	-	_	-
Other variants	5.7%	3.3%	2.5%	0.9%	4.4%	6.4%	4.1%	2.7%	7.1%
B.1.438	3.7%	1.9%	1.4%	0.3%	3.3%	4.8%	2.8%	_	-
B.1.621	-	-	_	-	_	_	0.1%	_	-
Other	2.0%	1.3%	1.1%	0.5%	1.2%	1.6%	1.2%	2.7%	7.1%

#### **Contributing laboratories:**

- Public Health Ontario (PHO)
- Newfoundland and Labrador Eastern Health
- New Brunswick Vitalité Health Network
- Manitoba Cadham Provincial Laboratory
- LSPQ
- BCCDC Public Health Laboratory
- Alberta Precision Labs (APL)
- National Microbiology Laboratory (NML) supplemental sequencing for all provinces and territories

### **Detailed case information**

The tables and figures below reflect detailed case information provided to the Public Health Agency of Canada (PHAC) by health authorities in the provinces and territories. This data is updated every week. It may change as we get more information about cases.


Updated: July 23, 2021, 7 pm EST

### **Epidemic curve**

As of July 23, 2021, 7 pm EST, PHAC has received detailed case report data on 1,423,778 cases. Both exposure and symptom onset date were available for 1,274,373 (89.5%) cases  $\frac{1}{2}$ .

The shaded area on the far right of Figure 2 represents lag time. This is the period of time (1 to 2 weeks) before the latest cases are reported to PHAC. This delay is a result of the time required to seek health care, get tested and receive results. It also takes time for public health authorities to gather information on cases. We update this information as it becomes available.

Figure 2. COVID-19 cases (n=1,423,778 $^{1}$ ) in Canada by date of illness onset $^{2}$  as of July 23, 2021, 7 pm EST (total cases)



Date of illness onset

Figure 2. COVID-19 cases (n=1,274,373  $\frac{1}{2}$ ) in Canada by date of illness onset  $\frac{2}{2}$  as of July 23, 2021, 7 pm EST (by exposure)




Figure 2. COVID-19 cases (n=1,423,392  $\frac{1}{2}$ ) in Canada by date of illness onset  $\frac{2}{2}$  as of July 23, 2021, 7 pm EST (by age - 10 year groups)





Figure 2. COVID-19 cases (n=1,423,392  $^1$ ) in Canada by date of illness onset  $^2$  as of July 23, 2021, 7 pm EST (by age - 20 year groups)




This figure may underestimate the total number of cases among returning travelers. Exposure history is not available for all cases and jurisdictions have not all consistently reported exposure history to PHAC throughout the pandemic.


### **Demographics**

We have detailed case report data from 1,423,778 cases. We know the age of patients in 100.00% of cases, and both age and gender in 99.69% of cases.

Of the cases reported in Canada so far, 50.3% were female and 35.6% were between 20 and 39 years old (Figure 3).

Figure 3. Age  $\stackrel{\checkmark}{}$  distribution of COVID-19 cases (n=1,423,778  $\stackrel{1}{}$ ) in Canada as of July 23, 2021, 7 pm EST  $\stackrel{4}{}$ 





## Age by gender $\frac{4}{}$ distribution of COVID-19 cases (n=1,423,778 $\frac{1}{}$ ) in Canada, July 23, 2021, 7 pm EST

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
≤19	274,695 (19.3%)	141,753 (20.1%)	132,932 (18.6%)	10 (18.2%)
20-29	271,987 (19.1%)	139,895 (19.8%)	132,078 (18.5%)	14 (25.5%)
30-39	233,368 (16.4%)	116,190 (16.5%)	117,167 (16.4%)	11 (20.0%)
40-49	208,335 (14.6%)	100,630 (14.3%)	107,694 (15.1%)	11 (20.0%)
50-59	185,302 (13.0%)	92,374 (13.1%)	92,923 (13.0%)	5 (9.1%)
60-69	114,508 (8.0%)	59,627 (8.5%)	54,878 (7.7%)	3 (5.5%)
70-79	60,143 (4.2%)	29,835 (4.2%)	30,307 (4.2%)	1 (1.8%)
80+	71,081 (5.0%)	25,184 (3.6%)	45,897 (6.4%)	0 (0.0%)
Total	1,419,419 (100%)	705,488 (100%)	713,876 (100%)	55 (100%)

## How people were exposed $\frac{3}{2}$


In Canada , detailed case report data were provided for 1,423,778 cases. We have exposure history for 1,274,373 (89.5%) cases. The probable exposure setting of these cases <sup>1</sup>/<sub>2</sub> are:

- any exposure that occurred in Canada: 1,186,767 (93.1%), including
  - o from contact with a known COVID case: 591,324 (46.4%)
  - from contact with a traveller: 8,539 (0.7%)
  - from an unknown source: 586,904 (46.1%)
- currently unknown (information pending): 77,692 (6.1%)
- travelled outside of Canada: 9,914 (0.8%)

### Severe illness and outcomes

#### Hospital use

Figure 4. Daily number of hospital beds and ICU beds occupied by COVID-19 patients as of July 19, 2021



Between July 12, 2021 and July 19, 2021:

- the number of hospital beds occupied by COVID-19 patients decreased from 418 to 368 beds.
- the number of ICU beds occupied by COVID-19 patients decreased from 259 to 203 beds.
- the number of COVID-19 patients who were mechanically vented decreased from 165 to 132.

#### Hospitalizations and deaths to date

We have detailed case report data on 1,423,778 cases, and hospitalization status for 998,460 (70.1%) of them:

- 75,210 cases (7.5%) were hospitalized, of whom:
  - 14,253 (19.0%) were admitted to the ICU
  - 1,923 (2.6%) needed mechanical ventilation

The provinces and territories provided detailed case report forms for **26,502** deaths related to COVID-19.

Figure 5a. Age and gender  $^4$  distribution of COVID-19 cases hospitalized in Canada as of July 23, 2021, 7 pm EST (n=75,066  $^1$ )




Figure 5b. Age and gender  $^4$  distribution of COVID-19 cases admitted to ICU in Canada as of July 23, 2021, 7 pm EST (n=14,095 $^1$ )





Figure 5c. Age and gender  $^4$  distribution of COVID-19 cases deceased in Canada as of July 23, 2021, 7 pm EST (n=26,448  $^1$ )



Data note: Figure 5 includes COVID-19 cases hospitalized, admitted to ICU, and deceased for which age and gender information were available. Therefore, some COVID-19 hospitalizations, ICU admissions, and deaths may not be included in Figure 5.

# Age and gender $\frac{4}{}$ distribution of COVID-19 cases hospitalized in Canada as of July 23, 2021, 7 pm EST (n=75,066 $\frac{1}{}$ )

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-19	1,399 (1.9%)	748 (1.0%)	650 (0.9%)	1 (0.0%)
20-29	3,007 (4.0%)	1,263 (1.7%)	1,744 (2.3%)	0 (0.0%)
30-39	5,130 (6.8%)	2,462 (3.3%)	2,668 (3.6%)	0 (0.0%)
40-49	6,774 (9.0%)	3,928 (5.2%)	2,846 (3.8%)	0 (0.0%)
50-59	10,964 (14.6%)	6,587 (8.8%)	4,377 (5.8%)	0 (0.0%)
60-69	13,292 (17.7%)	7,927 (10.6%)	5,365 (7.1%)	0 (0.0%)
70-79	14,585 (19.4%)	8,113 (10.8%)	6,472 (8.6%)	0 (0.0%)
80+	19,915 (26.5%)	9,120 (12.1%)	10,795 (14.4%)	0 (0.0%)

# Age and gender $\frac{4}{}$ distribution of COVID-19 cases admitted to ICU in Canada as of July 23, 2021, 7 pm EST (n=14,095 $\frac{1}{}$ )

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-19	164 (1.2%)	89 (0.6%)	75 (0.5%)	0 (0.0%)
20-29	376 (2.7%)	195 (1.4%)	181 (1.3%)	0 (0.0%)
30-39	837 (5.9%)	483 (3.4%)	354 (2.5%)	0 (0.0%)
40-49	1,429 (10.1%)	899 (6.4%)	530 (3.8%)	0 (0.0%)
50-59	2,808 (19.9%)	1,845 (13.1%)	963 (6.8%)	0 (0.0%)
60-69	3,755 (26.6%)	2,425 (17.2%)	1,330 (9.4%)	0 (0.0%)
70-79	3,258 (23.1%)	2,070 (14.7%)	1,188 (8.4%)	0 (0.0%)
80+	1,468 (10.4%)	833 (5.9%)	635 (4.5%)	0 (0.0%)

# Age and gender $^4$ distribution of COVID-19 cases deceased in Canada as of July 23, 2021, 7 pm EST (n=26,448 $^1$ )

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-19	14 (0.1%)	6 (0.0%)	8 (0.0%)	0 (0.0%)
20-29	66 (0.2%)	42 (0.2%)	24 (0.1%)	0 (0.0%)
30-39	144 (0.5%)	94 (0.4%)	50 (0.2%)	0 (0.0%)
40-49	338 (1.3%)	222 (0.8%)	116 (0.4%)	0 (0.0%)
50-59	988 (3.7%)	613 (2.3%)	375 (1.4%)	0 (0.0%)
60-69	2,540 (9.6%)	1,627 (6.2%)	913 (3.5%)	0 (0.0%)
70-79	5,359 (20.3%)	3,203 (12.1%)	2,156 (8.2%)	0 (0.0%)
80+	16,999 (64.3%)	7,512 (28.4%)	9,487 (35.9%)	0 (0)

## Provincial, territorial and international reporting

For more information, please refer to provincial or territorial COVID-19 webpages:

- British Columbia
- Alberta
- Saskatchewan
- Manitoba
- Ontario
- Quebec
- · Newfoundland and Labrador
- New Brunswick
- Nova Scotia
- Prince Edward Island
- Yukon
- Northwest Territories
- Nunavut
- World Health Organization
- Centers for Disease Control and Prevention
- European Centre for Disease Control and Prevention
- This figure is based on cases for which a case report form was received by the Public Health Agency of Canada from provincial or territorial partners.
- The shaded area represents a period of time (lag time) where it is expected that cases have occurred but have not yet been reported nationally. The earliest of the following dates were used as an estimate: Onset date, Specimen Collection Date, Laboratory Testing Date, Date Reported to Province or Territory, or Date Reported to PHAC.
- Exposure information may not be available for all cases. Some jurisdictions haven't consistently reported to PHAC how people were exposed throughout the pandemic. As a result, this may underestimate the total number of cases by different exposures, especially among returning travelers.
- Where available, gender data was used; when gender data was unavailable, sex data was used. Reliable data on gender diverse respondents are unavailable due to small counts.