

COVID-19 daily epidemiology update

Updated: November 8, 2021, 7 pm EST

Summary of COVID-19 cases across Canada and over time. Contains detailed data about the spread of the virus over time and in different regions of the country. Includes breakdowns by age and sex or gender. Provides an overview of hospitalizations and deaths, testing, variants of concern and exposures.

Key updates as of November 8, 2021, 7 pm EST



- We update these sections Monday to Friday at 7:00 PM EST: Key updates, Current situation and National overview. Laboratory data represents specimens received by labs up to November 6, 2021 to allow time to process results.
- We update these sections every Friday: Epidemic curve, Demographics, How people were exposed, and Severe illness and outcomes.
- Of the 10 jurisdictions reporting updates, no new cases were reported in 1 provinces and territories in the past 24 hours.
- Of the 10 jurisdictions reporting updates, no new deaths were reported in 5 provinces and territories in the past 24 hours.

Current situation



The count of cases (last 7 days) of COVID-19 in Canada was 16,521 as of November 8, 2021.

This information is based on data our provincial and territorial partners published on cases, deaths, and testing daily, and are current as of the day they are published. Today's numbers are current as of November 8, 2021, 2021, 7 PM EDT. For the most up to date data for any province, territory or city, please visit their website. The number of cases or deaths reported on previous days may differ slightly from those on the provincial and territorial websites as these websites may update historic case and death counts as new information becomes available.

Areas in Canada with cases of COVID-19 as of November 8, 2021

	Total cases	5	Cases la days	ast 7	Active c	ases	Resolved	Deaths		Deaths days	last 7	Total tests performed	Moving a tests per last 7 da	average formed ys	Moving average positivity last 7 days
Location	Count	Rate*	Count	Rate*	Count	Rate*	Count	Count	Rate*	Count	Rate*	Count	Count	Rate*	Percent
Canada	1,735,017	4,565	16,521	43	24,126	63	1,681,698	29,193	77	170	0.5	46,950,290	86,005	226	2.8%
British Columbia	209,703	4,074	3,419	66	4,587	89	202,898	2,218	43	37	0.7	4,345,237	12,935	251	3.9%
Alberta	327,283	7,401	3,084	70	6,387	144	317,741	3,155	71	44	1.0	5,926,294	9,851	223	4.7%
Saskatchewan	78,824	6,687	1,031	87	1,527	130	76,424	873	74	19	1.6	1,236,725	1,991	169	7.8%
Manitoba	64,701	4,691	1,019	74	1,377	100	62,062	1,262	92	14	1.0	1,157,698	2,682	194	6.2%
Ontario	603,711	4,097	3,334	23	4,040	27	589,771	9,900	67	26	0.2	19,021,111	27,506	187	1.7%
Quebec	430,395	5,019	3,938	46	5,253	61	413,620	11,522	134	26	0.3	12,709,165	27,078	316	2.1%
Newfoundland and Labrador	2,012	385	18	3	43	8	1,953	16	3	0	0.0	389,137	N/A	N/A	N/A
New Brunswick	6,813	872	337	43	505	65	6,187	121	15	4	0.5	543,321	632	81	7.3%
Nova Scotia	7,661	782	248	25	255	26	7,305	101	10	0	0.0	1,333,984	2,865	293	1.4%
Prince Edward Island	324	203	5	3	7	4	317	0	0	0	0.0	221,169	385	241	0.1%
Yukon	1,017	2,418	73	174	100	238	907	10	24	0	0.0	9,129	N/A	N/A	N/A
Northwest Territories	1,886	4,176	15	33	45	100	1,830	11	24	0	0.0	35,200	52	116	3.6%
Nunavut	674	1,713	0	0	0	0	670	4	10	0	0.0	22,044	27	69	0.0%

* Rate per 100,000 population

• The figures below show cases over time. The range of dates (January 31st, 2020 - present date) is the same for each figure. This allows you to compare the provinces and territories on the same timescale.



of

×



- a. This information is based on data from our provincial and territorial partners. Data about cases was last updated on November 8, 2021. Laboratory data includes specimens received by labs up to November 6, 2021. For the most up to date data for any province, territory or city, please visit their web site.
- b. The 7-day moving average is the total of the daily numbers for the previous 7 days (up to and including the day of the last update), divided by the number of days for which data is available. We go back and update the moving averages as provinces and territories submit more data. We calculate the national 7day moving average by summing the 7-day moving average from the provinces and territories then dividing by the national population if a rate is calculated.

Downloadable data (in .csv format).

Note: Out of the total number of people tested, 76 were repatriated travellers, of which 13 were cases.

National overview

There have been over **46,950,290** COVID-19 tests performed in Canada or **1,235,364 tests per 1 million people**. For information about testing trends, please see the <u>Detailed weekly epidemiological report (PDF)</u>.

Table 1. Daily* change in the number of cases, deaths and tests performed, by province or territory, as of November 8, 2021, 7 pm EST

Location	New cases	New deaths	Tests performed
Canada	2,138	37	81,810
British Columbia	423	17	12,854
Alberta	284	13	8,966
Saskatchewan	100	1	1,297
Manitoba	156	0	2,862
Ontario	480	2	27,146
Quebec	531	4	24,475
Newfoundland and Labrador	9	0	N/A
New Brunswick	44	0	565
Nova Scotia	111	0	3,302
Prince Edward Island	N/A	N/A	278
Yukon	N/A	N/A	N/A
Northwest Territories	N/A	N/A	39
Nunavut	0	0	26

* The new cases, deaths and tests reflect the difference between a province or territory's current report and their last report. Some provinces and territories do not update daily.

N/A means that no daily update was provided by the province or territory.

COVID-19 variants in Canada

All viruses, including COVID-19, change over time. These changes are called mutations, and result in variants of the virus. Not all mutations are of concern. Most do not cause more severe illness. However, some mutations result in variants of concern or variants of interest.

A variant of concern has mutations that are significant to public health. Before a variant of interest is considered one of concern, scientists and public health professionals must determine if the mutations result in an actual change in the behaviour of the virus. For example, it might:

- · spread more easily
- cause more severe illness
- require different treatments, or
- reduce vaccine effectiveness

There are several variants of interest that have mutations similar to variants of concern, but we don't yet know if they pose a higher risk to public health.

The Public Health Agency of Canada (PHAC) works with provincial and territorial partners and the Canadian COVID-19 Genomics Network (<u>CanCOGeN</u>) to sequence a percentage of all positive COVID-19 test results. Sequencing reveals the genetic code of the virus, which tells us which variant is involved in a specific case of COVID-19. We report the proportion of COVID-19 variants in Canada every week.

We collect evidence to determine if new variants meet the definition for a <u>variant of concern or a variant of</u> <u>interest</u>. Many variants are being tracked across Canada and around the world. Variants of concern now represent a majority of COVID-19 cases in Canada.

Four VOC (Variants of concern)s have been detected in most provinces and territories:

- B.1.1.7 (Alpha)
- B.1.351 (Beta)
- P.1 (Gamma)
- B.1.617.2 (Delta)

New variants will continue to appear. We must remain vigilant and take all available measures to limit spread.

Figure 2. Weekly variant breakdown Updated: November 5, 2021, 4 pm EST

• The graphic shows the percentage mix of COVID-19 variants detected in Canada through whole genome sequencing, by week of sample collection. You can see the numbers for each date by hovering over, tabbing to, or long-pressing any of the bars. To see a specific variant or variant grouping, click or press return. Repeat to restore the complete graph.



Week of sample collection

This information is based on whole genome sequencing from surveillance testing in all provinces and territories. In addition to sequencing done by the National Microbiology Laboratory in Winnipeg, data is included from <u>provincial and territorial</u> <u>laboratories</u>.

Sequencing takes from 1 to 3 weeks to complete, so the proportions for recent weeks may change as more data are added. Surveillance in each province or territory is organized and prioritized according to local needs and may change from time to time. Because of differences in local sampling and reporting, the percentages illustrate trends rather than precise measurements.

Weekly variant breakdown

Percentage of COVID-19 cases identified through whole genome sequencing, presented by variant and by week of sample collection.

Variant Grouping	Aug 15, 2021 (n=7,927)	Aug 22, 2021 (n=8,478)	Aug 29, 2021 (n=7,514)	Sep 05, 2021 (n=6,438)	Sep 12, 2021 (n=3,665)	Sep 19, 2021 (n=3,355)	Sep 26, 2021 (n=3,271)	Oct 03, 2021 (n=4,411)	Oct 10, 2021 (n=1,812)	Oct 1 2021 (n=47
Variants of concern	96.4%	97.2%	99.2%	99.5%	99.1%	99.7%	99.8%	99.7%	99.9%	99.2
Alpha	0.9%	0.5%	0.5%	0.3%	0.1%	0.2%	0.3%	0.1%	0.2%	-
Beta	-	-	-	-	-	-	-	-	-	-
Delta	95.5%	96.7%	98.7%	99.2%	99.0%	99.5%	99.5%	99.6%	99.7%	99.0
Gamma	-	-	-	-	-	-	-	-	-	0.2%
Variants of interest	2.6%	2.2%	0.2%	0.2%	0.0%	-	-	-	-	-
A.23.1	-	-	-	-	-	-	-	-	-	-
B.1.1.318	-	-	-	-	-	-	-	-	-	-
B.1.617.3	-	-	-	-	-	-	-	-	-	-
Epsilon	-	-	-	-	-	-	-	-	-	-
Eta	-	-	-	-	-	-	-	-	-	-
lota	-	-	-	-	-	-	-	-	-	-
Карра	-	-	-	-	-	-	-	-	-	-
Lambda	-	-	-	-	-	-	-	-	-	-
Mu	2.6%	2.2%	0.2%	0.2%	-	-	-	-	-	-
Theta	-	-	-	-	-	-	-	-	-	-
Zeta	-	-	-	-	-	-	-	-	-	-
Other variants	0.9%	0.7%	0.6%	0.3%	0.8%	0.3%	0.3%	0.2%	0.3%	0.8%
Other	0.9%	0.7%	0.6%	0.3%	0.8%	0.3%	0.3%	0.2%	0.3%	0.8%

•

•

Contributing laboratories:

• Saskatchewan - Roy Romanow Provincial Laboratory (RRPL)

- Public Health Ontario (PHO)
- Newfoundland and Labrador Eastern Health
- New Brunswick Vitalité Health Network
- Manitoba Cadham Provincial Laboratory
- Laboratoire de santé publique du Québec (LSPQ)
- BCCDC Public Health Laboratory
- Alberta Precision Labs Edmonton (APL)
- · National Microbiology Laboratory (NML) supplemental sequencing for all provinces and territories

Detailed case information

The tables and figures below reflect detailed case information provided to the Public Health Agency of Canada (PHAC) by health authorities in the provinces and territories. This data is updated every week. It may change as we get more information about cases.

Updated: November 5, 2021, 7 pm EST

Epidemic curve

As of November 5, 2021, 7 pm EST, PHAC has received detailed case report data on 1,718,937 cases. Both exposure and symptom onset date were available for 1,276,770 (74.3%) cases 1 .

The shaded area on the far right of Figure 3 represents a period of accumulating data. This is the period of time (1 to 2 weeks) before the latest cases are reported to PHAC. This delay is a result of the time required to seek health care, get tested and receive results. It also takes time for public health authorities to gather information on cases. We update this information as it becomes available.

Figure 3. COVID-19 cases (n=1,718,937 $\frac{1}{2}$) in Canada by date $\frac{2}{2}$ as of November 5, 2021, 7 pm EST (total cases)



Date

Figure 3. COVID-19 cases (n=1,276,770 $\frac{1}{2}$) in Canada by date $\frac{2}{2}$ as of November 5, 2021, 7 pm EST (by exposure)



Figure 3. COVID-19 cases (n=1,640,307 $\frac{1}{2}$) in Canada by date $\frac{2}{2}$ as of November 5, 2021, 7 pm EST (by age - 10 year groups)



Date

Figure 3. COVID-19 cases (n=1,640,307 $\frac{1}{2}$) in Canada by date $\frac{2}{2}$ as of November 5, 2021, 7 pm EST (by age - 20 year groups)



This figure may underestimate the total number of cases among returning travelers. Exposure history is not available for all cases and jurisdictions have not all consistently reported exposure history to PHAC throughout the pandemic.

Demographics

We have detailed case report data from 1,718,937 cases. We know the age of patients in 100.00% of cases, and both age and gender in 99.81% of cases.

Of the cases reported in Canada so far, 50.3% were female and 35.8% were between 20 and 39 years old (Figure 4).

Figure 4. Age \sim distribution of COVID-19 cases (n=1,718,937 $\frac{1}{2}$) in Canada as of November 5, 2021, 7 pm EST $\frac{4}{2}$





Age by gender $\frac{4}{10}$ distribution of COVID-19 cases (n=1,718,937 $\frac{1}{1}$) in Canada, November 5, 2021, 7 pm EST

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
≤19	359,931 (20.9%)	185,347 (21.7%)	174,574 (20.2%)	10 (17.5%)
20-29	327,198 (19.0%)	167,368 (19.6%)	159,813 (18.5%)	17 (29.8%)
30-39	287,091 (16.7%)	141,957 (16.6%)	145,123 (16.8%)	11 (19.3%)
40-49	247,794 (14.4%)	120,120 (14.1%)	127,664 (14.8%)	10 (17.5%)
50-59	212,872 (12.4%)	106,199 (12.5%)	106,668 (12.4%)	5 (8.8%)
60-69	133,126 (7.7%)	68,977 (8.1%)	64,146 (7.4%)	3 (5.3%)
70-79	69,767 (4.1%)	34,687 (4.1%)	35,079 (4.1%)	1 (1.8%)
80+	77,972 (4.5%)	28,146 (3.3%)	49,826 (5.8%)	0 (0.0%)
Total	1,715,751 (100%)	852,801 (100%)	862,893 (100%)	57 (100%)

How people were exposed $\frac{3}{2}$

In Canada , detailed case report data were provided for 1,718,937 cases. We have exposure history for 1,276,770 (74.3%) cases. The probable exposure setting of these cases ¹ are:

- any exposure that occurred in Canada: 1,180,269 (92.4%), including
 - from contact with a known COVID case: 680,803 (53.3%)
 - from contact with a traveller: 9,418 (0.7%)
 - from an unknown source: 490,048 (38.4%)
- currently unknown (information pending): 84,785 (6.6%)
- travelled outside of Canada: 11,716 (0.9%)

Cases following vaccination

Data extracted on October 29, 2021 for cases from December 14, 2020 up until October 16, 2021.

While the COVID-19 vaccines are effective, there is still a small percentage of the population who are vaccinated that will still be infected with COVID-19 if they are exposed to the virus that causes it. This means that even with high vaccine effectiveness, a small percentage of the population who are vaccinated against COVID-19 will still get sick and some may be hospitalized or even die as a result of their illness. It is also possible that a person could be infected just before or just after vaccination and still get sick. It typically takes about two weeks for the body to build protection after vaccination, so a person could get sick if the vaccine has not had enough time to provide protection.

Cases reported since the start of the vaccination campaign, as of October 16, 2021

Since the start of the vaccination campaign on December 14, 2020, PHAC received case-level vaccine history data for 79.8% (n=827,158) of COVID-19 cases aged 12 years or older.

Of these cases:

- 683,875 (82.7%) were unvaccinated at the time of their episode date
- 41,737 (5.0%) were not yet protected by the vaccine, as their episode date occurred less than 14 days after their first dose
- 48,216 (5.8%) were only partially vaccinated, as their episode date occurred either 14 days or more after their first dose or less than 14 days after their second dose
- 53,330 (6.4%) were fully vaccinated, as their episode date occurred 14 days or more after their second dose

Figure 5. Distribution - of confirmed COVID-19 cases reported to PHAC by vaccination status as of October 16, 2021



Characteristics and severe outcomes associated unvaccinated, partially vaccinated and fully vaccinated confirmed cases reported to PHAC, as of October 16, 2021

Status	Cases	Hospitalizations	Deaths
Unvaccinated	82.7%	82.0%	77.7%
Cases not yet protected	5.0%	6.4%	7.8%
Partially vaccinated	5.8%	6.7%	7.4%
Fully vaccinated	6.4%	5.0%	7.1%

Among the twelve jurisdictions currently reporting case-level vaccine history data to PHAC, a total of 22.7 million people have received at least one dose of the COVID-19 vaccine as of October 16, 2021.

Of these people:

- 22.4 million achieved partial vaccination status, of which 48,216 (0.22%) were diagnosed with COVID-19 while partially vaccinated
- 20.8 million achieved full vaccination status, of which 53,330 (0.26%) were diagnosed with COVID-19 while fully vaccinated

Based on detailed case information reported to PHAC from provinces and territories, cases following vaccination were reported more frequently among females and those aged 60 years and older (Table 2). This may be the result of higher vaccination coverage in Canada among females and those aged 60 years and older due to the prioritization of older age groups and healthcare workers as part of the vaccine rollout.

Table 2. Characteristics and severe outcomes associated unvaccinated, partially vaccinatedand fully vaccinated confirmed cases reported to PHAC, as of October 16, 2021

		Unvaccinated (n=683,875)	Cases not yet protected (n=41,737)	Partially vaccinated (n=48,216)	Fully vaccinated (n=53,330)	Total cases (n=827,158)
Gender*	Male	349,689 (84.2%)	20,042 (4.8%)	22,459 (5.4%)	23,041 (5.5%)	415,231 (100%)
	Female	332,644 (81.1%)	21,636 (5.3%)	25,686 (6.3%)	30,234 (7.4%)	410,200 (100%)
Hospitalizations		37,318 (82.0%)	2,905 (6.4%)	3,039 (6.7%)	2,265 (5.0%)	45,527 (100%)
Deaths		7,381 (77.7%)	737 (7.8%)	700 (7.4%)	676 (7.1%)	9,494 (100%)

Source: Detailed case information received by PHAC from provinces and territories, since December 14, 2020

Note:

- There are currently twelve jurisdictions reporting case-level vaccine history data to PHAC as part of the national COVID-19 dataset. A data cut-off of October 16, 2021 was used to account for any reporting delays associated with vaccine history information.
- *Cases with missing gender were excluded. Where available, gender data was used; when gender data was unavailable, sex data was used. Reliable data on gender diverse respondents are unavailable due to small counts.

Fully vaccinated individuals diagnosed with COVID-19 were significantly protected from severe outcomes. Compared to unvaccinated cases, fully vaccinated cases were 80% less likely to be hospitalized and 66% less likely to die as a result of their illness (Table 3).

Table 3. Risk of severe outcomes among fully vaccinated cases compared tounvaccinated cases as of October 16, 2021

Severe Outcome	Adjusted* Odds Ratio (95% CI)
Hospitalizations	0.20 (0.19 - 0.21)
Deaths	0.34 (0.31 - 0.38)

*Adjusted for 10-year age groups and month of episode date

Source: Detailed case information received by PHAC from provinces and territories

Note: Due to the nature of the dataset (i.e. confirmed cases of COVID-19 in Canada), the odds of severe outcomes among cases following vaccination only considers vaccinated individuals that contracted COVID-19. It does not reflect the protection conferred by the vaccines to prevent COVID-19 infection.

Data for this analysis is extracted from the COVID-19 national data set, which contains detailed case-level information received by PHAC from all provinces and territories. Note that a data cut-off of October 16, 2021 was used to account for any reporting delays associated with vaccine history information. There are currently twelve jurisdictions reporting case-level vaccine history data to PHAC as part of the national COVID-19 dataset.

PHAC monitors cases following vaccination using the following categories:

Unvaccinated cases: include those who were unvaccinated at the time of their episode date.

Cases not yet protected from vaccination include those whose episode date occurred less than 14 days after their first dose of the vaccine.

Partially vaccinated cases include those whose episode date occurred 14 days or more after their first vaccine dose or less than 14 days after their second dose of the vaccine.

Fully vaccinated cases include those whose episode date occurred 14 days or more after their second dose of a two dose vaccine series or those whose episode date occurred 14 days or more after one dose of a one-dose vaccine.

Note: When symptom onset date is unavailable or the case is asymptomatic, episode date uses the following dates as a proxy for classification: laboratory specimen collection date, or laboratory testing date.

For more information on cases following vaccination, please see the Weekly epidemiology report (PDF) available on the Government of Canada's <u>COVID-19 data trends</u> page.

Severe illness and outcomes

Hospital use



Figure 6. Daily number of hospital beds and ICU beds occupied by COVID-19 patients as of



Between October 25, 2021 and November 1, 2021:

- the number of hospital beds occupied by COVID-19 patients decreased from 1,529 to 1,436 beds.
- the number of ICU beds occupied by COVID-19 patients decreased from 616 to 579 beds.
- the number of COVID-19 patients who were mechanically vented decreased from 294 to 270.

Hospitalizations and deaths to date

We have detailed case report data on 1,718,937 cases, and hospitalization status for 1,249,975 (72.7%) of them:

- 89,567 cases (7.2%) were hospitalized, of whom:
 - 17,256 (19.3%) were admitted to the ICU
 - 2,082 (2.3%) needed mechanical ventilation

Figure 7a. Age and gender $\frac{4}{1}$ distribution of COVID-19 cases hospitalized in Canada as of November 5, 2021, 7 pm EST (n=89,478 $\frac{1}{1}$)



Figure 7b. Age and gender $\frac{4}{1}$ distribution of COVID-19 cases admitted to ICU in Canada as of November 5, 2021, 7 pm EST (n=17,235 $\frac{1}{1}$)



Figure 7c. Age and gender $\frac{4}{1}$ distribution of COVID-19 cases deceased in Canada as of November 5, 2021, 7 pm EST (n=28,900 $\frac{1}{1}$)



Data note: Figure 7 includes COVID-19 cases hospitalized, admitted to ICU, and deceased for which age and gender information were available. Therefore, some COVID-19 hospitalizations, ICU admissions, and deaths may not be included in Figure 7.

Age and gender $\frac{4}{10}$ distribution of COVID-19 cases hospitalized in Canada as of November 5, 2021, 7 pm EST (n=89,478 $\frac{1}{10}$)

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-19	1,899 (2.1%)	1,010 (1.1%)	888 (1.0%)	1 (0.0%)
20-29	4,016 (4.5%)	1,697 (1.9%)	2,319 (2.6%)	0 (0.0%)
30-39	6,777 (7.6%)	3,243 (3.6%)	3,534 (3.9%)	0 (0.0%)
40-49	8,596 (9.6%)	5,011 (5.6%)	3,585 (4.0%)	0 (0.0%)
50-59	13,277 (14.8%)	7,946 (8.9%)	5,331 (6.0%)	0 (0.0%)
60-69	15,876 (17.7%)	9,413 (10.5%)	6,463 (7.2%)	0 (0.0%)
70-79	16,909 (18.9%)	9,436 (10.5%)	7,473 (8.4%)	0 (0.0%)
80+	22,128 (24.7%)	10,284 (11.5%)	11,844 (13.2%)	0 (0.0%)

Age and gender $\frac{4}{10}$ distribution of COVID-19 cases admitted to ICU in Canada as of November 5, 2021, 7 pm EST (n=17,235 $\frac{1}{10}$)

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-19	233 (1.4%)	126 (0.7%)	107 (0.6%)	0 (0.0%)
20-29	527 (3.1%)	285 (1.7%)	242 (1.4%)	0 (0.0%)
30-39	1,155 (6.7%)	660 (3.8%)	495 (2.9%)	0 (0.0%)
40-49	1,852 (10.7%)	1,159 (6.7%)	693 (4.0%)	0 (0.0%)
50-59	3,486 (20.2%)	2,294 (13.3%)	1,192 (6.9%)	0 (0.0%)
60-69	4,502 (26.1%)	2,908 (16.9%)	1,594 (9.2%)	0 (0.0%)
70-79	3,791 (22.0%)	2,399 (13.9%)	1,392 (8.1%)	0 (0.0%)
80+	1,689 (9.8%)	964 (5.6%)	725 (4.2%)	0 (0.0%)

Age and gender $\frac{4}{1}$ distribution of COVID-19 cases deceased in Canada as of November 5, 2021, 7 pm EST (n=28,900 $\frac{1}{1}$)

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-19	17 (0.1%)	6 (0.0%)	11 (0.0%)	0 (0.0%)
20-29	79 (0.3%)	49 (0.2%)	30 (0.1%)	0 (0.0%)
30-39	201 (0.7%)	123 (0.4%)	78 (0.3%)	0 (0.0%)
40-49	434 (1.5%)	283 (1.0%)	151 (0.5%)	0 (0.0%)
50-59	1,219 (4.2%)	755 (2.6%)	464 (1.6%)	0 (0.0%)
60-69	2,949 (10.2%)	1,874 (6.5%)	1,075 (3.7%)	0 (0.0%)
70-79	5,985 (20.7%)	3,580 (12.4%)	2,405 (8.3%)	0 (0.0%)
80+	18,016 (62.3%)	8,094 (28.0%)	9,922 (34.3%)	0 (0.00%)

Provincial, territorial and international reporting

For more information, please refer to provincial or territorial COVID-19 webpages:

- British Columbia
- <u>Alberta</u>
- Saskatchewan
- <u>Manitoba</u>
- <u>Ontario</u>
- <u>Quebec</u>
- Newfoundland and Labrador
- New Brunswick
- <u>Nova Scotia</u>
- Prince Edward Island
- <u>Yukon</u>
- Northwest Territories
- <u>Nunavut</u>
- World Health Organization
- <u>Centers for Disease Control and Prevention</u>
- European Centre for Disease Control and Prevention
- <u>1</u> This figure is based on cases for which a case report form was received by the Public Health Agency of Canada from provincial or territorial partners.
- 2 The shaded area represents a period of accumulating data where it is expected that cases have occurred but have not yet been reported nationally. The earliest of the following dates were used as an estimate: Onset date, Specimen Collection Date, Laboratory Testing Date, Date Reported to Province or Territory, or Date Reported to PHAC.
- Exposure information may not be available for all cases. Some jurisdictions haven't consistently reported to PHAC how people were exposed throughout the pandemic. As a result, this may underestimate the total number of cases by different exposures, especially among returning travelers.
- Where available, gender data was used; when gender data was unavailable, sex data was used.
 Reliable data on gender diverse respondents are unavailable due to small counts.