

COVID-19 daily epidemiology update

Updated: January 19, 2022, 9 am EST

A Changes to update schedule

Beginning January 4, 2022, we'll update this data at 9:00 am each day.

Summary of COVID-19 cases across Canada and over time. Contains detailed data about the spread of the virus over time and in different regions of the country. Includes breakdowns by age and sex or gender. Provides an overview of hospitalizations and deaths, testing, variants of concern and exposures.

Key updates as of January 19, 2022, 9 am EST


Total tests 55,45	Daily pe	ercent positive (last 22.3%	7 days)	Daily tests	per 100,000 populat 342	ion (last 7 days)
Cases today 21,163		Active cases 323,113	Total res 2,467		Deaths today 148	Total deaths 31,827

- We update these sections Monday to Friday at 9:00 AM EST: Key updates, Current situation and National overview. Laboratory data represents specimens received by labs up to January 17, 2022 to allow time to process results.
- We update these sections every Friday: COVID-19 variants in Canada, Epidemic curve, Demographics, How people were exposed, and Severe illness and outcomes.
- The Cases following vaccination section is updated every Tuesday
- Of the 13 jurisdictions reporting updates, no new cases were reported in 0 provinces and territories in the past 24 hours.
- Of the 13 jurisdictions reporting updates, no new deaths were reported in 4 provinces and territories in the past 24 hours.
- Due to changes in COVID-19 testing policies in many jurisdictions starting in late December 2021, case counts will under estimate the total burden of disease.
- Resulting from the delays in data entry caused by the recent high number of cases, Nova Scotia issued a
 press release on December 10 indicating that they would begin announcing the daily number of new
 cases using laboratory test results, not data from Panorama (their public health disease information
 system) on the Nova Scotia COVID-19 Dashboard. These reporting changes are expected to be

temporary. In the absence of Panorama data, we will report Nova Scotia's cumulative cases up until December 9 and add the daily lab positive cases reported. We will use the estimated number of active cases from Nova Scotia's updates to calculate the number of recoveries as of December 10. Once Nova Scotia resumes reporting case data from Panorama, our data will be retroactively corrected.

Current situation





The count of cases (last 7 days) of COVID-19 in Canada was 197,705 as of January 18, 2022.

a. This information is based on data our provincial and territorial partners published on cases, deaths, and testing daily, and are current as of the day they are published. Today's numbers are current as of January 18, 2022. For the most up to date data for any province, territory or city, please visit their website. The number of cases or deaths reported on previous days may differ slightly from those on the provincial and territorial websites as these websites may update historic case and death counts as new information becomes available.

- b. Due to changes in COVID-19 testing policies in many jurisdictions starting in late December 2021, case counts will under estimate the total burden of disease.
- c. Resulting from the delays in data entry caused by the recent high number of cases, Nova Scotia issued a <u>press release</u> on December 10 indicating that they would begin announcing the daily number of new cases using laboratory test results, not data from Panorama (their public health disease information system) on the <u>Nova Scotia COVID-19 Dashboard</u>. These reporting changes are expected to be temporary. In the absence of Panorama data, we will report Nova Scotia's cumulative cases up until December 9 and add the daily lab positive cases reported. We will use the estimated number of active cases from Nova Scotia's updates to calculate the number of recoveries as of December 10. Once Nova Scotia resumes reporting case data from Panorama, our data will be retroactively corrected.

Areas in Canada with cases of COVID-19 as of January 18, 2022


	Total cases		Cases last 7 days		Active cases			Deaths	Deaths		last 7	Total tests performed	Moving average tests performed last 7 days		Moving average positivity last 7 days
Location	Count	Rate [*]	Count	Rate*	Count	Rate [*]	Count	Count	Rate [*]	Count	Rate*	Count	Count	Rate*	Percent
British Columbia	301,178	5,775	15,098	290	40,269	772	258,417	2,492	48	43	0.8	5,305,666	12,747	244	21.6%
Alberta	455,660	10,256	38,127	858	70,223	1,581	382,025	3,412	77	60	1.4	6,610,673	15,239	343	38.2%
Saskatchewan	102,641	8,700	8,562	726	11,781	999	89,899	961	81	0	0.0	1,388,408	3,686	312	34.9%
Manitoba	111,432	8,053	7,497	542	40,805	2,949	69,161	1,466	106	40	2.9	1,396,318	3,046	220	34.1%
Ontario	963,693	6,500	67,445	455	91,473	617	861,554	10,666	72	267	1.8	22,071,588	50,099	338	22.6%
Quebec	806,296	9,371	47,720	555	51,489	598	742,354	12,453	145	425	4.9	15,494,340	36,806	428	14.8%
Newfoundland and Labrador	13,327	2,560	3,126	601	3,176	610	10,123	28	5	5	1.0	519,759	2,727	524	15.0%
New Brunswick	23,503	2,978	2,613	331	4,570	579	18,741	192	24	19	2.4	669,348	2,203	279	16.9%
Nova Scotia	31,860	3,212	4,503	454	5,511	556	26,227	122	12	7	0.7	1,665,216	4,088	412	16.3%
Prince Edward Island	4,808	2,926	1,611	980	2,210	1,345	2,596	2	1	2	1.2	253,869	93	56	12.6%
Yukon	2,747	6,390	302	703	242	563	2,490	15	35	0	0.0	9,129	N/A	N/A	N/A
Northwest Territories	4,234	9,305	912	2,004	1,187	2,609	3,034	13	29	1	2.2	39,300	49	107	22.9%
Nunavut	1,222	3,101	189	480	177	449	1,040	5	13	1	2.5	27,741	101	256	26.9%
Canada	2,822,614	7,380	197,705	517	323,113	845	2,467,674	31,827	83	870	2.3	55,451,431	130,884	342	22.3%


* Rate per 100,000 population

Figure 1b. Moving average v of cases (last 7 days) v of v of COVID-19 in Canada as of

January 18, 2022 (Last data update January 19, 2022, 9 am EST)

The figures below show cases over time. The range of dates (January 31st, 2020 - present date) is the same for each figure. This allows you to compare the provinces and territories on the same timescale.





- a. Due to changes in COVID-19 testing policies in many jurisdictions starting in late December 2021, case counts will under estimate the total burden of disease.
- b. This information is based on data from our provincial and territorial partners. Data about cases was last updated on January 18, 2022. Laboratory data includes specimens received by labs up to January 17, 2022. For the most up to date data for any province, territory or city, please visit their web site.
- c. The 7-day moving average is the total of the daily numbers for the previous 7 days (up to and including the day of the last update), divided by the number of days for which data is available. We go back and update the moving averages as provinces and territories submit more data. We calculate the national 7-day moving average by summing the 7-day moving average from the provinces and territories then dividing by the national population if a rate is calculated.
- d. Resulting from the delays in data entry caused by the recent high number of cases, Nova Scotia issued a <u>press release</u> on December 10 indicating that they would begin announcing the daily number of new cases using laboratory test results, not data from Panorama (their public health disease information system) on the <u>Nova Scotia COVID-19 Dashboard</u>. These reporting changes are expected to be temporary. In the absence of Panorama data, we will report Nova Scotia's cumulative cases up until December 9 and add the daily lab positive cases reported. We will use the estimated number of active cases from Nova Scotia's updates to calculate the number of recoveries as of December 10. Once Nova Scotia resumes reporting case data from Panorama, our data will be retroactively corrected.

Downloadable data (in .csv format).

Due to changes in COVID-19 testing policies in many jurisdictions starting in late December 2021, case counts will under estimate the total burden of disease.

Note: Out of the total number of people tested, 76 were repatriated travellers, of which 13 were cases.

National overview

There have been over **55,451,431** COVID-19 tests performed in Canada or **1,449,858 tests per 1 million people**. For information about testing trends, please see the <u>Detailed weekly epidemiological report (PDF)</u>.

Table 1. Daily* change in the number of cases, deaths and tests performed, by province orterritory, as of January 18, 2022 (Last data update January 19, 2022, 9 am EST)

Location	New cases	New deaths	Tests performed
British Columbia	2,032	2	20,104
Alberta	3,279	9	N/A
Saskatchewan	1,104	0	7,036
Manitoba	839	3	4,873
Ontario	7,086	38	68,414
Quebec	5,143	89	N/A
Newfoundland and Labrador	295	2	3,564
New Brunswick	330	3	4,331
Nova Scotia	415	1	5,833
Prince Edward Island	407	0	157
Yukon	27	0	N/A
Northwest Territories	179	0	53
Nunavut	27	1	463
Canada	21,163	148	216,769

^{*} The new cases, deaths and tests reflect the difference between a province or territory's current report and their last report. Some provinces and territories do not update daily.

N/A means that no daily update was provided by the province or territory.

Due to changes in COVID-19 testing policies in many jurisdictions starting in late December 2021, case counts will under estimate the total burden of disease.

Resulting from the delays in data entry caused by the recent high number of cases, Nova Scotia issued a <u>press release</u> on December 10 indicating that they would begin announcing the daily number of new cases using laboratory test results, not data from Panorama (their public health disease information system) on the <u>Nova Scotia COVID-19 Dashboard</u>. These reporting changes are expected to be temporary. In the absence of Panorama data, we will report Nova Scotia's cumulative cases up until December 9 and add the daily lab

positive cases reported. We will use the estimated number of active cases from Nova Scotia's updates to calculate the number of recoveries as of December 10. Once Nova Scotia resumes reporting case data from Panorama, our data will be retroactively corrected.

COVID-19 variants in Canada

All viruses, including COVID-19, change over time. These changes are called mutations, and result in variants of the virus. Not all mutations are of concern. Most do not cause more severe illness. However, some mutations result in variants of concern or variants of interest.

A variant of concern has mutations that are significant to public health. Before a variant of interest is considered one of concern, scientists and public health professionals must determine if the mutations result in an actual change in the behaviour of the virus. For example, it might:

- spread more easily
- cause more severe illness
- require different treatments, or
- reduce vaccine effectiveness

There are several variants of interest that have mutations similar to variants of concern, but we don't yet know if they pose a higher risk to public health.

The Public Health Agency of Canada (PHAC) works with provincial and territorial partners and the Canadian COVID-19 Genomics Network (<u>CanCOGeN</u>) to sequence a percentage of all positive COVID-19 test results. Sequencing reveals the genetic code of the virus, which tells us which variant is involved in a specific case of COVID-19. We report the proportion of COVID-19 variants in Canada every week.

We collect evidence to determine if new variants meet the definition for a <u>variant of concern or a variant of</u> <u>interest</u>. Many variants are being tracked across Canada and around the world. Variants of concern now represent a majority of COVID-19 cases in Canada.


Current variants of concern in Canada include:

- Alpha (B.1.1.7)
- Beta (B.1.351)
- Gamma (P.1)
- Delta (B.1.617.2)
- Omicron (B.1.1.529)

New variants will continue to appear. We must remain vigilant and take all available measures to limit spread.

Figure 2. Weekly variant breakdown Updated: January 14, 2022, 4 pm EDT

The graphic shows the percentage mix of COVID-19 variants detected in Canada through whole genome sequencing, by week of sample collection. You can see the numbers for each date by hovering over, tabbing to, or long-pressing any of the bars. To see a specific variant or variant grouping, click or press return. Repeat to restore the complete graph. Sublineages or offshoots for some variants can be revealed or hidden by clicking on the name of the variant in the legend.



Week of sample collection

This information is based on whole genome sequencing from surveillance testing in all provinces and territories. In addition to sequencing done by the National Microbiology Laboratory in Winnipeg, data is included from <u>provincial and territorial</u> <u>laboratories</u>.

Sequencing takes from 1 to 3 weeks to complete, so the proportions for recent weeks may change as more data are added. Surveillance in each province or territory is organized and prioritized according to local needs and may change from time to time. Because of differences in local sampling and reporting, the percentages illustrate trends rather than precise measurements.

Weekly variant breakdown

Percentage of COVID-19 cases identified through whole genome sequencing, presented by variant and by week of sample collection.

Variant Grouping	Oct 24, 2021 (n=3,770)	Oct 31, 2021 (n=4,821)	Nov 07, 2021 (n=4,842)	Nov 14, 2021 (n=5,324)	Nov 21, 2021 (n=6,103)	Nov 28, 2021 (n=6,221)	Dec 05, 2021 (n=5,679)	Dec 12, 2021 (n=5,507)	Dec 19, 2021 (n=3,656)	Dec 2021 (n=1
Variants of concern	99.9%	99.9%	99.9%	100.0%	100.1%	99.9%	100.0%	100.0%	99.9%	100
Alpha	0.0%	0.0%	-	0.0%	-	-	-	-	-	-
B.1.1.7	0.0%	0.0%	-	0.0%	-	-	-	-	-	-
Beta	0.0%	-	-	-	-	-	-	-	-	-
B.1.351	0.0%	-	-	-	-	-	-	-	-	-
Delta	99.9%	99.9%	99.9%	100.0%	99.8%	98.0%	79.4%	43.8%	18.6%	7.4
AY.103	4.7%	2.9%	10.4%	12.1%	14.9%	12.8%	9.4%	4.4%	1.6%	0.3%
AY.25	13.1%	13.3%	14.6%	15.7%	15.6%	16.1%	13.3%	5.6%	2.4%	1.1%
AY.25.1	45.0%	51.9%	42.9%	39.2%	36.3%	35.9%	31.8%	21.0%	8.4%	4.0%
AY.27	18.5%	15.3%	11.5%	10.6%	8.4%	5.9%	3.1%	1.8%	1.9%	0.7%
AY.74	2.1%	2.4%	2.3%	3.0%	4.4%	4.2%	3.0%	1.4%	0.1%	-
Other Delta	16.5%	14.1%	18.2%	19.4%	20.2%	23.1%	18.8%	9.6%	4.2%	1.3%
Gamma	0.0%	-	-	-	-	-	-	-	-	-
P.1	0.0%	-	-	-	-	-	-	-	-	-
Omicron	-	-	-	-	0.3%	1.9%	20.6%	56.2%	81.3%	92.0
B.1.1.529	-	-	-	-	0.1%	0.0%	-	0.0%	0.1%	-
BA.1	-	-	-	-	0.2%	1.8%	20.6%	56.2%	81.2%	92.6
BA.2	-	-	-	-	-	0.1%	-	-	-	-
Variants of interest	0.0%	-	-	-	-	-	-	-	-	-
Eta	0.0%	-	-	-	-	-	-	-	-	-
B.1.525	0.0%	-	-	-	-	-	-	-	-	-
Other variants	0.0%	0.0%	0.0%	0.0%	-	0.0%	0.0%	0.0%	0.0%	-

Variant Grouping	Oct 24, 2021 (n=3,770)	Oct 31, 2021 (n=4,821)	Nov 07, 2021 (n=4,842)	Nov 14, 2021 (n=5,324)	Nov 21, 2021 (n=6,103)	Nov 28, 2021 (n=6,221)	Dec 05, 2021 (n=5,679)	Dec 12, 2021 (n=5,507)	Dec 19, 2021 (n=3,656)	Dec : 2021 (n=1,
Other	0.0%	0.0%	0.0%	0.0%	-	0.0%	0.0%	0.0%	0.0%	-

Note: The shaded columns on the right represent a period of accumulating data.

Contributing laboratories:

- Saskatchewan Roy Romanow Provincial Laboratory (RRPL)
- Public Health Ontario (PHO)
- Newfoundland and Labrador Eastern Health
- New Brunswick Vitalité Health Network
- Manitoba Cadham Provincial Laboratory
- Laboratoire de santé publique du Québec (LSPQ)
- BCCDC Public Health Laboratory
- Alberta Precision Labs Edmonton (APL)
- National Microbiology Laboratory (NML) supplemental sequencing for all provinces and territories

Detailed case information

The tables and figures below reflect detailed case information provided to the Public Health Agency of Canada (PHAC) by health authorities in the provinces and territories. This data is updated every week. It may change as we get more information about cases.


Updated: January 14, 2022, 8 am EST

Epidemic curve

As of January 14, 2022, 8 am EST, PHAC has received detailed case report data on 2,592,958 cases. Both exposure and symptom onset date were available for 1,706,779 (65.8%) cases $\frac{1}{2}$.

The shaded area on the far right of Figure 3 represents a period of accumulating data. This is the period of time (1 to 2 weeks) before the latest cases are reported to PHAC. This delay is a result of the time required to seek health care, get tested and receive results. It also takes time for public health authorities to gather information on cases. We update this information as it becomes available.

Figure 3. COVID-19 cases (n=2,593,222 $\frac{1}{2}$) in Canada by date $\frac{2}{2}$ as of January 14, 2022, 8 am EST (total cases)



Date

Figure 3. COVID-19 cases (n=1,706,779 $\frac{1}{2}$) in Canada by date $\frac{2}{2}$ as of January 14, 2022, 8 am EST (by exposure)






Figure 3. COVID-19 cases (n=2,477,133 $\frac{1}{}$) in Canada by date $\frac{2}{}$ as of January 14, 2022, 8 am EST (by age - 10 year groups)



Date

Figure 3. COVID-19 cases (n=2,477,133 $\frac{1}{2}$) in Canada by date $\frac{2}{2}$ as of January 14, 2022, 8 am EST (by age - 20 year groups)




This figure may underestimate the total number of cases among returning travelers. Exposure history is not available for all cases and jurisdictions have not all consistently reported exposure history to PHAC throughout the pandemic.

Demographics

We have detailed case report data from 2,592,958 cases. We know the age of patients in 99.96% of cases, and both age and gender in 99.77% of cases.

Of the cases reported in Canada so far, 51.3% were female and 37.0% were between 20 and 39 years old (Figure 4).

Figure 4. Age \sim distribution of COVID-19 cases (n=2,592,004 $\frac{1}{2}$) in Canada as of January 14, 2022, 8 am EST $\frac{4}{2}$



Age by gender ⁴ distribution of COVID-19 cases (n=2,592,004 1) in Canada, January 14, 2022, 8 am EST

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-11	296,799 (11.5%)	154,268 (12.3%)	142,052 (10.7%)	16 (13.4%)
12-19	246,438 (9.5%)	121,529 (9.7%)	124,388 (9.4%)	11 (9.2%)
20-29	514,367 (19.8%)	248,318 (19.7%)	264,572 (19.9%)	30 (25.2%)
30-39	445,860 (17.2%)	213,743 (17.0%)	231,158 (17.4%)	26 (21.8%)
40-49	384,507 (14.8%)	181,595 (14.4%)	202,229 (15.2%)	16 (13.4%)
50-59	317,847 (12.3%)	156,017 (12.4%)	161,316 (12.1%)	11 (9.2%)
60-69	191,345 (7.4%)	98,346 (7.8%)	92,673 (7.0%)	8 (6.7%)
70-79	95,370 (3.7%)	47,847 (3.8%)	47,386 (3.6%)	1 (0.8%)
80+	99,471 (3.8%)	36,983 (2.9%)	62,361 (4.7%)	0 (0.0%)
Total	2,592,004 (100%)	1,258,646 (100%)	1,328,135 (100%)	119 (100%)

How people were exposed $\frac{3}{2}$

In Canada , detailed case report data were provided for 2,592,958 cases. We have exposure history for 1,706,779 (65.8%) cases. The probable exposure setting of these cases ¹ are:

- any exposure that occurred in Canada: 1,354,409 (79.4%), including
 - from contact with a known COVID case: 767,177 (44.9%)
 - from contact with a traveller: 9,942 (0.6%)
 - from an unknown source: 577,290 (33.8%)
- currently unknown (information pending): 337,365 (19.8%)
- travelled outside of Canada: 15,005 (0.9%)

Cases following vaccination

Data extracted on January 07, 2022 for cases from December 14, 2020 up until December 25, 2021.

While the COVID-19 vaccines are highly effective, a percentage of the population who are vaccinated may become infected with COVID-19 if they are exposed to the virus that causes it. This means that even with high vaccine effectiveness, a percentage of people who are vaccinated against COVID-19 will still get sick and some may be hospitalized or die.

It is also possible that a person could be infected just before or just after vaccination and still get sick. It typically takes about two weeks for the body to build protection after vaccination, so a person could get sick if the vaccine has not had enough time to provide protection.


Cases reported since the start of the vaccination campaign, as of December 25, 2021

Since the start of the vaccination campaign on December 14, 2020, PHAC received case-level vaccine history data for 75.8% (n=1,046,386) of COVID-19 cases aged 12 years or older.

Of these cases:

- 728,415 (69.6%) were unvaccinated at the time of their episode date
- 43,754 (4.2%) were not yet protected by the vaccine, as their episode date occurred less than 14 days after their first dose
- 54,772 (5.2%) were only partially vaccinated, as their episode date occurred either 14 days or more after their first dose or less than 14 days after their second dose
- 219,445 (21.0%) were fully vaccinated, as their episode date occurred 14 days or more after their second dose

Figure 5. Distribution - of confirmed COVID-19 cases reported to PHAC by vaccination status as of December 25, 2021



Characteristics and severe outcomes associated unvaccinated, partially vaccinated and fully vaccinated confirmed cases reported to PHAC, as of December 25, 2021

Status	Cases	Hospitalizations	Deaths
Unvaccinated	69.6%	78.8%	75.4%
Cases not yet protected	4.2%	5.9%	7.1%
Partially vaccinated	5.2%	6.5%	7.0%
Fully vaccinated	21.0%	8.8%	10.6%

Among the twelve jurisdictions that have reported case-level vaccine history data to PHAC, a total of 24.2 million people have received at least one dose of the COVID-19 vaccine as of December 25, 2021.

Of these people:

- 23.9 million achieved partial vaccination status, of which 54,772 (0.23%) were diagnosed with COVID-19 while partially vaccinated
- 22.5 million achieved full vaccination status, of which 219,445 (0.98%) were diagnosed with COVID-19 while fully vaccinated

Based on detailed case information reported to PHAC from provinces and territories, cases following vaccination were reported more frequently among females (Table 2). This may be the result of higher vaccination coverage in Canada among females due to the prioritization healthcare workers as part of the vaccine rollout.

Table 2. Characteristics and severe outcomes associated unvaccinated, partially vaccinatedand fully vaccinated confirmed cases reported to PHAC, as of December 25, 2021

		Unvaccinated (n=728,415)	Cases not yet protected (n=43,754)	Partially vaccinated (n=54,772)	Fully vaccinated (n=219,445)	Total cases (n=1,046,386)
Male Gender*		372,385 (71.4%)	21,107 (4.0%)	25,772 (4.9%)	102,034 (19.6%)	521,298 (100%)
Gender	Female	354,279 (67.8%)	22,590 (4.3%)	28,915 (5.5%)	116,742 (22.3%)	522,526 (100%)
Hospitali	zations	41,089 (78.8%)	3,077 (5.9%)	3,402 (6.5%)	4,569 (8.8%)	52,137 (100%)
Deaths		8,076 (75.4%)	761 (7.1%)	748 (7.0%)	1,131 (10.6%)	10,716 (100%)

Source: Detailed case information received by PHAC from provinces and territories, since December 14, 2020

Note:

- Twelve of thirteen provinces and territories have reported case-level vaccine history data to PHAC as part of the national COVID-19 dataset. Ten provinces and territories have reported complete case-level vaccine history data to PHAC since October 2021. A data cut-off of December 25, 2021 was used to account for routine reporting delays associated with vaccine history information.
- *Cases with missing gender were excluded. Where available, gender data was used; when gender data was unavailable, sex data was used. Reliable data on gender diverse respondents are unavailable due to small counts.

Fully vaccinated individuals diagnosed with COVID-19 were significantly protected from severe outcomes. Compared to unvaccinated cases, fully vaccinated cases were 80% less likely to be hospitalized and 76% less likely to die as a result of their illness (Table 3).

Table 3. Risk of severe outcomes among fully vaccinated cases compared tounvaccinated cases as of December 25, 2021

Severe Outcome	Adjusted* Odds Ratio (95% CI)			
Hospitalizations	0.20 (0.19 - 0.2)			
Deaths	0.24 (0.22 - 0.26)			

*Adjusted for 10-year age groups and month of episode date

Source: Detailed case information received by PHAC from provinces and territories

Note: Due to the nature of the dataset (i.e. confirmed cases of COVID-19 in Canada), the odds of severe outcomes among cases following vaccination only considers vaccinated individuals that contracted COVID-19. It does not reflect the protection conferred by the vaccines to prevent COVID-19 infection.

Data for this analysis is extracted from the COVID-19 national data set, which contains detailed case-level information received by PHAC from all provinces and territories. Note that a data cut-off of December 25, 2021 was used to account for any reporting delays associated with vaccine history information. There are currently twelve jurisdictions reporting case-level vaccine history data to PHAC as part of the national COVID-19 dataset.

PHAC monitors cases following vaccination using the following categories:

Unvaccinated cases: include those who were unvaccinated at the time of their episode date.

Cases not yet protected from vaccination include those whose episode date occurred less than 14 days after their first dose of the vaccine.

Partially vaccinated cases include those whose episode date occurred 14 days or more after their first vaccine dose or less than 14 days after their second dose of the vaccine.


Fully vaccinated cases include those whose episode date occurred 14 days or more after their second dose of a two dose vaccine series or those whose episode date occurred 14 days or more after one dose of a one-dose vaccine.


Note: When symptom onset date is unavailable or the case is asymptomatic, episode date uses the following dates as a proxy for classification: laboratory specimen collection date, or laboratory testing date.

For more information on cases following vaccination, please see the Weekly epidemiology report (PDF) available on the Government of Canada's <u>COVID-19 data trends</u> page.

Severe illness and outcomes

Hospital use





Between January 3, 2022 and January 10, 2022:

- the number of hospital beds occupied by COVID-19 patients increased from 4,113 to 6,926 beds.
- the number of ICU beds occupied by COVID-19 patients increased from 645 to 935 beds.
- the number of COVID-19 patients who were mechanically vented increased from 308 to 412.

Hospitalizations and deaths to date

We have detailed case report data on 2,592,958 cases, and hospitalization status for 1,791,022 (69.1%) of them:

- 104,154 cases (5.8%) were hospitalized, of whom:
 - 19,608 (18.8%) were admitted to the ICU
 - 2,307 (2.2%) needed mechanical ventilation

Figure 7a. Age and gender $\frac{4}{10}$ distribution of COVID-19 cases hospitalized in Canada as of January 14, 2022, 8 am EST (n=104,040 $\frac{1}{10}$)




Figure 7b. Age and gender $\frac{4}{2}$ distribution of COVID-19 cases admitted to ICU in Canada as of January 14, 2022, 8 am EST (n=19,582 $\frac{1}{2}$)





Figure 7c. Age and gender $\frac{4}{10}$ distribution of COVID-19 cases deceased in Canada as of January 14, 2022, 8 am EST (n=30,782¹)



Data note: Figure 7 includes COVID-19 cases hospitalized, admitted to ICU, and deceased for which age and gender information were available. Therefore, some COVID-19 hospitalizations, ICU admissions, and deaths may not be included in Figure 7.

Age and gender ⁴ distribution of COVID-19 cases hospitalized in Canada as of January 14, 2022, 8 am EST (n=104,040 $\frac{1}{2}$)

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-11	1,561 (1.5%)	886 (0.9%)	674 (0.6%)	1 (0.0%)
12-19	1,049 (1.0%)	488 (0.5%)	561 (0.5%)	0 (0.0%)
20-29	4,841 (4.7%)	1,978 (1.9%)	2,863 (2.8%)	0 (0.0%)
30-39	7,949 (7.6%)	3,638 (3.5%)	4,311 (4.1%)	0 (0.0%)
40-49	9,762 (9.4%)	5,656 (5.4%)	4,106 (3.9%)	0 (0.0%)
50-59	14,907 (14.3%)	8,933 (8.6%)	5,974 (5.7%)	0 (0.0%)
60-69	18,317 (17.6%)	10,799 (10.4%)	7,518 (7.2%)	0 (0.0%)
70-79	19,921 (19.1%)	11,191 (10.8%)	8,730 (8.4%)	0 (0.0%)
80+	25,733 (24.7%)	12,160 (11.7%)	13,573 (13.0%)	0 (0.0%)

Age and gender $\frac{4}{10}$ distribution of COVID-19 cases admitted to ICU in Canada as of January 14, 2022, 8 am EST (n=19,582 $\frac{1}{10}$)

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-11	157 (0.8%)	83 (0.4%)	74 (0.4%)	0 (0.0%)
12-19	130 (0.7%)	68 (0.3%)	62 (0.3%)	0 (0.0%)
20-29	612 (3.1%)	327 (1.7%)	285 (1.5%)	0 (0.0%)
30-39	1,284 (6.6%)	732 (3.7%)	552 (2.8%)	0 (0.0%)
40-49	2,118 (10.8%)	1,321 (6.7%)	797 (4.1%)	0 (0.0%)
50-59	3,921 (20.0%)	2,577 (13.2%)	1,344 (6.9%)	0 (0.0%)
60-69	5,121 (26.2%)	3,284 (16.8%)	1,837 (9.4%)	0 (0.0%)
70-79	4,330 (22.1%)	2,742 (14.0%)	1,588 (8.1%)	0 (0.0%)
80+	1,909 (9.7%)	1,101 (5.6%)	808 (4.1%)	0 (0.0%)

Age and gender $\frac{4}{10}$ distribution of COVID-19 cases deceased in Canada as of January 14, 2022, 8 am EST (n=30,782 $\frac{1}{10}$)

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-11	15 (0.0%)	5 (0.0%)	10 (0.0%)	0 (0.0%)
12-19	9 (0.0%)	5 (0.0%)	4 (0.0%)	0 (0.0%)
20-29	94 (0.3%)	58 (0.2%)	36 (0.1%)	0 (0.0%)
30-39	234 (0.8%)	144 (0.5%)	90 (0.3%)	0 (0.0%)
40-49	499 (1.6%)	325 (1.1%)	174 (0.6%)	0 (0.0%)
50-59	1,379 (4.5%)	850 (2.8%)	529 (1.7%)	0 (0.0%)
60-69	3,265 (10.6%)	2,093 (6.8%)	1,172 (3.8%)	0 (0.0%)
70-79	6,486 (21.1%)	3,901 (12.7%)	2,585 (8.4%)	0 (0.0%)
80+	18,801 (61.1%)	8,512 (27.7%)	10,289 (33.4%)	0 (0.00%)

Provincial, territorial and international reporting

For more information, please refer to provincial or territorial COVID-19 webpages:

- British Columbia
- <u>Alberta</u>
- Saskatchewan
- <u>Manitoba</u>
- <u>Ontario</u>
- <u>Quebec</u>
- Newfoundland and Labrador
- New Brunswick
- <u>Nova Scotia</u>
- Prince Edward Island
- <u>Yukon</u>
- Northwest Territories
- <u>Nunavut</u>
- World Health Organization
- <u>Centers for Disease Control and Prevention</u>
- European Centre for Disease Control and Prevention
- <u>1</u> This figure is based on cases for which a case report form was received by the Public Health Agency of Canada from provincial or territorial partners.
- 2 The shaded area represents a period of accumulating data where it is expected that cases have occurred but have not yet been reported nationally. The earliest of the following dates were used as an estimate: Onset date, Specimen Collection Date, Laboratory Testing Date, Date Reported to Province or Territory, or Date Reported to PHAC.
- Exposure information may not be available for all cases. Some jurisdictions haven't consistently reported to PHAC how people were exposed throughout the pandemic. As a result, this may underestimate the total number of cases by different exposures, especially among returning travelers.
- Where available, gender data was used; when gender data was unavailable, sex data was used.
 Reliable data on gender diverse respondents are unavailable due to small counts.