



COVID-19 epidemiology update

Summary of COVID-19 cases, hospitalizations and deaths, testing and variants of concern across Canada and over time.

Current update

Updated: September 2, 2022, 9 am ET

This summary of COVID-19 cases across Canada contains detailed data about the spread of the virus over time and in different regions of the country. Includes breakdowns by age and sex or gender. Provides an overview of testing, variants of concern, cases following vaccination and severe illness and outcomes.

Update schedule: We update all sections of this page every Friday, except for 'Cases following vaccination', which we update on Tuesdays.

Key COVID-19 updates (Last data update September 2, 2022, 9 am ET)

Weekly change in cases

20,843

Total cases

4,179,337

Weekly change in deaths

261

Total deaths

44,085

Total tests performed

64,423,248

Daily percent positive (last 7 days)

10.8%

Daily tests per 100,000 population (last 7 days)


61

- Case and death information are up to August 27, 2022.
- Weekly change in cases and deaths includes data from 10 of the 13 Canadian provinces and territories reporting updates for the week of August 21 to August 27, 2022.
- These reflect the changes in the case and death counts at the end of the week compared to the end of the previous week.
- Laboratory data represents specimens received by labs up to August 30, 2022 to allow time to process results.
- Due to changes in COVID-19 testing policies in many jurisdictions since December 2021, case counts are under-estimated.

Current situation

Figure 1a. **Count** of **cases (latest week)** of COVID-19, **province/territory** for the week of August 21 to August 27, 2022

(Last data update September 2, 2022, 9 am ET)



The count of cases of COVID-19 for the week of August 21 to August 27, 2022 in **Canada** was **20,843**.

a. This information is based on data our provincial and territorial partners published on cases, deaths, and testing. The numbers provided reflect cases, deaths up to August 27, 2022 and tests up to August 30, 2022. For the most up to date data for any province, territory or city, please visit their [website](#). The number of cases or deaths reported may differ slightly from those on the provincial and

territorial websites as these websites may update historic case and death counts as new information becomes available.

- b. Due to changes in COVID-19 testing policies in many jurisdictions since December 2021, case counts are under-estimated.
- c. Out of all people tested, 76 were repatriated travellers, of whom 13 tested positive.
- d. As of April 11, 2022, Nunavut no longer publishes regular COVID-19 updates.
- e. As of June 13, 2022, Northwest Territories no longer publishes regular COVID-19 updates.
- f. As of June 30th, 2022 Saskatchewan publishes monthly COVID-19 updates. Weekly data for cases, and deaths after June 25th, 2022 are not available.
- g. On July 20, we updated the case numbers from Quebec to reflect changes in Quebec's reporting of COVID-19 cases (in French only). This change added about 8,000 cases to the total number of cases reported by Quebec between March 2020 and July 2022.










Areas in Canada with cases of COVID-19






Location	Total cases		Cases (latest week)		Cases (latest 2 weeks)		Total deaths		Deaths (latest week)		Deaths (latest 2 weeks)		Total tests performed	Moving average daily tests performed (latest week)		Moving average daily percent positivity (latest week)
	Count	Rate*	Count	Rate*	Count	Rate*	Count	Rate*	Count	Rate*	Count	Rate*	Count	Count	Rate*	Percent
British Columbia	382,436	7,334	648	12	1,387	27	4,145	79	48	0.9	108	2.1	6,214,850	2,191	42	7.4%
Alberta	601,964	13,549	1,412	32	3,151	71	4,772	107	36	0.8	63	1.4	7,220,245	N/A	N/A	N/A
Saskatchewan	141,815	12,020	N/A	N/A	N/A	N/A	1,479	125	N/A	N/A	N/A	N/A	1,643,679	762	65	10.1%
Manitoba	148,428	10,726	622	45	1,099	79	2,115	153	10	0.7	22	1.6	1,567,648	331	24	24.0%
Ontario	1,411,638	9,521	9,395	63	19,203	130	13,986	94	89	0.6	157	1.1	25,191,691	9,191	62	12.8%
Quebec	1,175,707	13,664	5,638	66	12,516	145	16,287	189	63	0.7	142	1.6	18,573,274	9,109	106	8.1%
Newfoundland and Labrador	51,111	9,819	301	58	681	131	227	44	4	0.8	8	1.5	709,075	296	57	13.4%
New Brunswick	75,152	9,522	712	90	1,509	191	466	59	4	0.5	10	1.3	891,897	605	77	15.1%
Nova Scotia	121,380	12,235	1,324	133	2,709	273	496	50	6	0.6	15	1.5	2,052,750	760	77	26.4%
Prince Edward Island	49,834	30,328	771	469	1,481	901	54	33	2	1.0	2	1.3	263,897	38	23	17.7%
Yukon	4,817	11,207	19	45	46	108	30	70	0	0.0	0	0.0	9,129	N/A	N/A	N/A
Northwest Territories	11,511	25,297	N/A	N/A	N/A	N/A	22	48	N/A	N/A	N/A	N/A	42,210	5	10	6.3%
Nunavut	3,531	8,961	N/A	N/A	N/A	N/A	7	18	N/A	N/A	N/A	N/A	42,827	34	86	11.8%
Canada	4,179,337	10,927	20,843	55	43,782	114	44,085	115	261	0.7	526	1.4	64,423,248	23,323	61	10.8%

- a. This information is based on data our provincial and territorial partners published on cases, deaths, and testing. The numbers provided reflect cases, deaths up to August 27, 2022 and tests up to August 30, 2022. For the most up to date data for any province, territory or city, please visit their [website](#). The number of cases or deaths reported may differ slightly from those on the provincial and territorial websites as these websites may update historic case and death counts as new information becomes available.
 - b. Starting April 7, 2022, British Columbia reports all deaths within 30 days of a positive COVID-19 test, regardless of the cause of death. As a result, deaths are now over-estimated for BC and should not be directly compared to other jurisdictions or to earlier data from BC.
 - c. As of April 11, 2022, Nunavut no longer publishes regular COVID-19 updates.
 - d. As of June 13, 2022, Northwest Territories no longer publishes regular COVID-19 updates.
 - e. As of June 30th, 2022 [Saskatchewan](#) publishes monthly COVID-19 updates. Weekly data are unavailable.
 - f. Out of all people tested, 76 were repatriated travellers, of whom 13 tested positive.
- e. * Rate per 100,000 population
- f. Out of the total number of people tested, 76 were repatriated travellers, of which 13 were cases.

Figure 1b. **Count** of **cases (latest week)** of **COVID-19 in Canada up to August 27, 2022** (Last data update September 2, 2022, 9 am ET)

The figures below show cases over time. The range of dates (January 31st, 2020 - present date) is the same for each figure. This allows you to compare the provinces and territories on the same timescale.





- a. This information is based on data our provincial and territorial partners published on cases, deaths, and testing. The numbers provided reflect cases, deaths up to August 27, 2022 and tests up to August 30, 2022. For the most up to date data for any province, territory or city, please visit their [website](#). The number of cases or deaths reported may differ slightly from those on the provincial and territorial websites as these websites may update historic case and death counts as new information becomes available.
- b. Due to changes in COVID-19 testing policies in many jurisdictions since December 2021, case counts are under-estimated.
- c. Out of all people tested, 76 were repatriated travellers, of whom 13 tested positive.
- d. As of April 11, 2022, Nunavut no longer publishes regular COVID-19 updates.
- e. As of June 13, 2022, Northwest Territories no longer publishes regular COVID-19 updates.
- f. As of June 30th, 2022 [Saskatchewan](#) publishes monthly COVID-19 updates. Weekly data for cases, and deaths after June 25th, 2022 are not available.
- g. On July 20, we updated the case numbers from Quebec to reflect changes in [Quebec's reporting of COVID-19 cases](#) (in French only). This change added about 8,000 cases to the total number of cases reported by Quebec between March 2020 and July 2022.

[Downloadable data \(in .csv format\).](#)

National overview

There have been **64,423,248** COVID-19 tests performed in Canada or **1,684,439 tests per 1 million people**.

Table 1. Weekly* change in the number of cases, deaths and tests performed, by province or territory, for the week of August 21 to August 27, 2022 (Last data update September 2, 2022, 9 am ET)

Location	Cases	Deaths	Tests performed
British Columbia	648	48	15,560
Alberta	1,412	36	N/A
Saskatchewan	N/A	N/A	5,266
Manitoba	622	10	2,205
Ontario	9,395	89	66,141
Quebec	5,638	63	65,016
Newfoundland and Labrador	301	4	2,009
New Brunswick	712	4	4,864
Nova Scotia	1,324	6	5,237
Prince Edward Island	771	2	258
Yukon	19	0	N/A
Northwest Territories	N/A	N/A	25
Nunavut	N/A	N/A	222
Canada	20,843	261	166,803

- a. * Weekly change in cases, deaths and tests performed reflect the changes in the case and death counts between the end of the latest week and the end of the previous week. Data are updated on an ongoing basis. The current report reflects data most recently received by PHAC at the time of the last update and are subject to change.
- b. N/A means that no update was provided by the province or territory for the latest week.
- c. Due to changes in COVID-19 testing policies in many jurisdictions since December 2021, case counts are under-estimated.
- d. Starting April 7, 2022, British Columbia reports all deaths within 30 days of a positive COVID-19 test, regardless of the cause of death. As a result, deaths are now over-estimated for BC and should not be directly compared to other jurisdictions or to earlier data from BC.
- e. As of June 30th, 2022 [Saskatchewan](#) publishes monthly COVID-19 updates. Weekly data for cases, and deaths after June 25th, 2022 are not available.

COVID-19 variants in Canada

All viruses, including COVID-19, change over time. These changes are called mutations, and result in variants of the virus. Not all mutations are of concern. Most do not cause more severe illness. However, some mutations result in variants of concern or variants of interest.

A variant of concern has mutations that are significant to public health. Before a variant of interest is considered one of concern, scientists and public health professionals must determine if the mutations result in an actual change in the behaviour of the virus. For example, it might:

- spread more easily
- cause more severe illness
- require different treatments, or
- reduce vaccine effectiveness

There are several variants of interest that have mutations similar to variants of concern, but we don't yet know if they pose a higher risk to public health.

The Public Health Agency of Canada (PHAC) works with provincial and territorial partners and the Canadian COVID-19 Genomics Network ([CanCOGeN](#)), to sequence a percentage of all positive COVID-19 test results. Sequencing reveals the genetic code of the virus, which tells us which variant is involved in a specific case of COVID-19. We report the proportion of COVID-19 variants in Canada every week.

We collect evidence to determine if new variants meet the definition for a variant of concern or a variant of interest. Many variants are being tracked across Canada and around the world. Variants of concern now represent a majority of COVID-19 cases in Canada.


Current variants of concern in Canada include:

- Alpha (B.1.1.7)
- Beta (B.1.351)
- Gamma (P.1)
- Delta (B.1.617.2)
- Omicron (B.1.1.529)

New variants will continue to appear. We must remain vigilant and take all available measures to limit spread.

Figure 2. Weekly variant breakdown Updated: August 30, 2022, 4 pm EDT

i The graphic shows the percentage mix of COVID-19 variants detected in Canada through whole genome sequencing, by week of sample collection. You can see the numbers for each date by hovering over, tabbing to, or long-pressing any of the bars. To see a specific variant or variant grouping, click or press return. Repeat to restore the complete graph. Sublineages or offshoots for some variants can be revealed or hidden by clicking on the name of the variant in the legend.



This information is based on whole genome sequencing from surveillance testing in all provinces and territories. In addition to sequencing done by the National Microbiology Laboratory in Winnipeg, data is included from provincial and territorial laboratories.

Sequencing takes from 1 to 3 weeks to complete, so the proportions for recent weeks may change as more data are added. Surveillance in each province or territory is organized and prioritized according to local needs and may change from time to time. Because of differences in local sampling and reporting, the percentages illustrate trends rather than precise measurements.

Variant Grouping	Jun 05, 2022 (n=3,274)	Jun 12, 2022 (n=3,169)	Jun 19, 2022 (n=3,275)	Jun 26, 2022 (n=3,595)	Jul 03, 2022 (n=4,425)	Jul 10, 2022 (n=4,824)	Jul 17, 2022 (n=4,328)	Jul 24, 2022 (n=3,669)	Jul 31, 2022 (n=3,239)	Aug 07, 2022 (n=3,239)
XAP	-	-	-	0.0%	-	-	-	-	-	-

Note: The shaded columns on the right represent a period of accumulating data.

Contributing laboratories:

- Saskatchewan - Roy Romanow Provincial Laboratory (RRPL)
- Public Health Ontario (PHO)
- Nova Scotia Health Authority
- Newfoundland and Labrador - Eastern Health
- New Brunswick - Vitalité Health Network
- Manitoba Cadham Provincial Laboratory
- Laboratoire de santé publique du Québec (LSPQ)
- BCCDC Public Health Laboratory
- Alberta Precision Labs (APL)
- National Microbiology Laboratory (NML) - supplemental sequencing for all provinces and territories

Detailed case information

The tables and figures below reflect detailed case information provided to the Public Health Agency of Canada (PHAC) by health authorities in the provinces and territories. This data is updated every week. It may change as we get more information about cases.

Updated: September 2, 2022, 9 am ET

Epidemic curve

As of September 2, 2022, 9 am ET, PHAC has received detailed case report data on 4,060,184 cases.

The shaded area on the far right of Figure 3 represents a period of accumulating data. This is the period of time (1 to 2 weeks) before the latest cases are reported to PHAC. This delay is a result of the time required to seek health care, get tested and receive results. It also takes time for public health authorities to gather information on cases. We update this information as it becomes available.

Figure 3. COVID-19 cases (n=4,060,184 ¹) in Canada by date ² as of September 2, 2022, 9 am ET (total cases)




Figure 3. COVID-19 cases (n=4,059,298 ¹) in Canada by date ² as of September 2, 2022, 9 am ET (by age - 10 year groups)





Figure 3. COVID-19 cases (n=4,059,298 ¹) in Canada by date ² as of September 2, 2022, 9 am ET (by age - 20 year groups)





Demographics

We have detailed case report data from 4,060,184 cases. We know the age of patients in 99.98% of cases, and both age and gender in 99.70% of cases.

Of the cases reported in Canada so far, 54.3% were female and 35.4% were between 20 and 39 years old (Figure 4).

Figure 4. distribution of COVID-19 cases (n=4,059,298 ¹) in Canada as of September 2, 2022, 9 am ET ³



Age by gender ³ distribution of COVID-19 cases (n=4,059,298 ¹) in Canada, September 2, 2022, 9 am ET

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-11	410,421 (10.1%)	213,670 (11.5%)	195,255 (8.9%)	31 (15.4%)
12-19	328,501 (8.1%)	157,837 (8.5%)	169,344 (7.7%)	21 (10.4%)
20-29	735,781 (18.1%)	326,593 (17.6%)	406,417 (18.5%)	45 (22.4%)
30-39	699,729 (17.2%)	303,878 (16.4%)	393,972 (17.9%)	39 (19.4%)
40-49	610,365 (15.0%)	262,770 (14.2%)	346,128 (15.8%)	27 (13.4%)
50-59	511,426 (12.6%)	233,191 (12.6%)	277,085 (12.6%)	23 (11.4%)
60-69	321,091 (7.9%)	159,185 (8.6%)	161,203 (7.3%)	13 (6.5%)
70-79	196,096 (4.8%)	99,086 (5.4%)	96,645 (4.4%)	2 (1.0%)
80+	245,888 (6.1%)	94,305 (5.1%)	151,187 (6.9%)	0 (0.0%)
Total	4,059,298 (100%)	1,850,515 (100%)	2,197,236 (100%)	201 (100%)

Cases following vaccination

Data extracted on August 26, 2022 for cases between December 14, 2020 and August 07, 2022.

i Changes to update schedule

We've adjusted our update schedule to reflect changes in how often this data is reported to us.

- “Cases following vaccination rate ratio indicators” are updated every 4 weeks.
- “Case counts” and “distributions of cases following vaccination” are updated weekly.

While COVID-19 vaccines are highly effective at preventing severe outcomes such as hospitalization and death, vaccinated people can still get infected if exposed. This means that even with high vaccine effectiveness, some vaccinated people will get sick, be hospitalized or die.

Most people in Canada have been vaccinated. Because they're a larger group, there will naturally be more cases among vaccinated people than among unvaccinated people. However, despite their higher case counts, **vaccinated people are less likely to get very sick or die.**

Case counts underestimate the total number of COVID-19 cases because a rapid increase in cases starting in December 2021 led to changes in COVID-19 testing policies and delays in data entry.

Case counts are likely to over-represent people at risk of severe disease, because they have been prioritized for testing. Data should be interpreted with caution.

Cases reported since the start of the vaccination campaign, as of August 07, 2022




Since the start of the vaccination campaign on December 14, 2020, PHAC received case-level vaccine history data for 72.1% (n=2,372,628) of COVID-19 cases aged 5 years or older.

Of these cases:

- 986,067 (41.6%) were unvaccinated
- 781,213 (32.9%) had completed their primary vaccine series
- 424,530 (17.9%) had completed their primary vaccine series and 1 additional dose
- 29,431 (1.2%) had completed their primary vaccine series and 2 or more additional doses

For definitions of the different vaccination statuses, please refer to the Technical notes and definitions section.

Figure 5. Distribution of confirmed COVID-19 cases reported to PHAC by vaccination status as of August 07, 2022



Outcomes of confirmed COVID-19 cases reported to PHAC by vaccination status, as of August 07, 2022

Status	Cases	Hospitalizations	Deaths
Unvaccinated	41.6%	49.9%	50.2%
Primary series completed	32.9%	20.2%	17.3%
Primary series completed and 1 additional dose	17.9%	20.4%	21.3%
Primary series completed and 2 or more additional doses	1.2%	1.7%	2.7%

Among the twelve jurisdictions that have reported case-level vaccine history data to PHAC, a total of 25.1 million people have received at least one dose of the COVID-19 vaccine as of August 07, 2022.

Cases following vaccination were more common among older adults and females (Table 2). This may be due to:

- higher risk of disease among older adults and pregnant people
- longer life expectancy among females, which means more women move into older age groups with a higher risk of disease

Older adults have been prioritized for second booster doses. As a result, older people make up a large proportion of people who had completed their primary vaccine series and 2 or more additional doses. For the same reason, they also make up a large proportion of cases in that group.

Table 2. Characteristics of confirmed cases by vaccination status, as of August 07, 2022

		Unvaccinated (n=986,067)	Primary series completed (n=781,213)	Primary series completed and 1 additional dose (n=424,530)	Primary series completed and 2 or more additional doses (n=29,431)	Total cases [†] (n=2,372,628)
Gender*	Male	499,121 (46.0%)	344,092 (31.7%)	155,564 (14.3%)	11,941 (1.1%)	1,084,778 (100.0%)
	Female	482,668 (37.7%)	434,891 (34.0%)	267,935 (20.9%)	17,430 (1.4%)	1,279,971 (100.0%)
Age group	5-11	123,342 (75.5%)	7,800 (4.8%)	0 (0.0%)	0 (0.0%)	163,251 (100.0%)
	12-17	72,064 (52.9%)	55,882 (41.0%)	2,274 (1.7%)	9 (0.0%)	136,314 (100.0%)

		Unvaccinated (n=986,067)	Primary series completed (n=781,213)	Primary series completed and 1 additional dose (n=424,530)	Primary series completed and 2 or more additional doses (n=29,431)	Total cases† (n=2,372,628)
	18-39	416,327 (43.5%)	369,722 (38.7%)	122,693 (12.8%)	704 (0.1%)	956,344 (100.0%)
	40-59	247,300 (36.9%)	243,150 (36.2%)	142,183 (21.2%)	2,239 (0.3%)	670,965 (100.0%)
	60-79	100,458 (32.3%)	83,496 (26.9%)	93,102 (29.9%)	10,988 (3.5%)	310,866 (100.0%)
	80+	26,576 (19.7%)	21,163 (15.7%)	64,278 (47.6%)	15,491 (11.5%)	134,888 (100.0%)

Source: Detailed case information received by PHAC from provinces and territories, since December 14, 2020 (see data notes in the [Technical notes and definitions section](#))

People who were diagnosed with COVID-19 after completing their primary vaccine series were significantly less likely to be hospitalized or to die, particularly if they received an additional dose(s).

Between July 04, 2022 and July 31, 2022, unvaccinated cases were 5 times more likely to be hospitalized and 7 times more likely to die from their illness, compared to cases with a completed primary vaccine series.

During the same 4-week period, unvaccinated cases were 6 times more likely to be hospitalized and 8 times more likely to die from their illness, compared to cases with a completed primary vaccine series and 1 or more additional doses ([see data notes in Technical notes and definitions section](#)).

Technical notes and definitions

Data for this analysis comes from the COVID-19 national data set, which contains detailed case-level information received by PHAC from all provinces and territories.

- 12 of 13 provinces and territories have reported case-level vaccine history data to PHAC as part of the national COVID-19 dataset.
- 12 of these provinces and territories reported data on cases with a completed primary vaccine series and 1 additional dose. 8 of the 12 provinces and territories reported data on cases with a completed primary vaccine series and 2 or more additional doses. In provinces and territories that have not yet reported additional dose data, cases are classified as having completed their primary vaccine series if they have a completed primary series or with or without any more additional doses.
- We used a data cut-off of August 07, 2022 to account for routine reporting delays associated with vaccine history information.
- †Counts of cases by vaccination status may not add up to total counts, as data on cases not yet protected and partially vaccinated cases are not presented here.

- Data presented here on cases with a completed primary vaccine series and 1 or more additional dose(s) are limited to individuals aged 12 years or older. Eligibility for booster dose programs varies across provinces and territories.
- *When available, we used gender data. If unavailable, we used sex data. We excluded cases with missing gender and sex data from the gender analysis. Reliable data on gender diverse respondents are unavailable due to small counts.
- Rate ratios are age-standardized using July 2021 Canadian population estimates.
- For analyses of rate ratios, cases are classified as having completed their primary series with one or more additional dose(s) if they have received at least 1 additional dose after completing their primary series
- Rate ratio calculations were based on data from 9 provinces and territories that have reported complete case-level vaccine history data to PHAC during the 4-week period of analysis.

Episode date: Refers to symptom onset date. When symptom onset date is unavailable or the case is asymptomatic, episode date refers to either:

- laboratory specimen collection date, or
- laboratory testing date

PHAC monitors cases following vaccination using the following categories:

Unvaccinated cases: those who were unvaccinated at the time of their episode date.

Cases not yet protected from vaccination: those whose episode date occurred less than 14 days after their first dose of the vaccine.

Partially vaccinated cases: those whose episode date occurred:

- 14 days or more after their first vaccine dose in a 2-dose series, or
- less than 14 days after their second dose of the vaccine.

Cases with a completed primary series: those whose episode date occurred:

- 14 days or more after receipt of a second dose in a 2-dose series, or
- 14 days or more after receipt of one dose of a 1-dose vaccine series, and
- if an additional (for example, third dose or booster) dose was received, 0 to <14 days after receipt of the first additional dose.

Cases with a completed primary series and 1 or more additional dose(s): those whose episode date occurred 14 days or more following the receipt of at least 1 additional dose (for example, third dose or booster) of a COVID-19 vaccine product, after completing a primary vaccine series.

- Data on counts and distributions are further categorized into 2 groups:
 - **Cases with a completed primary vaccine series and 1 additional dose:** those whose episode date occurred 14 days or more following receipt of 1 additional dose (for example, third

dose or first booster) of a COVID-19 vaccine product and, if a second additional dose was received, 0 to <14 days after receipt of that dose

- **Cases with a completed primary series and 2 or more additional doses:** those whose episode date occurred 14 days or more following receipt of at least 2 additional doses (for example, fourth dose or second booster)


COVID-19 vaccine product: vaccines that have been:

- authorized by Health Canada or
- accepted by the Government of Canada for the purpose of travel to and within Canada

Severe illness and outcomes

Hospital use

Figure 6. Daily number of hospital beds and ICU beds occupied by COVID-19 patients as of August 29, 2022



Between August 22, 2022 and August 29, 2022:

- the total number of **hospital beds** occupied by COVID-19 patients **decreased** from **4,942** to **4,747** beds.
- the number of **non-ICU beds** occupied by COVID-19 patients **decreased** from **4,699** to **4,489** beds.

- the number of **ICU beds** occupied by COVID-19 patients **increased** from **243** to **258** beds.
- the number of **COVID-19 patients who were mechanically vented decreased** from **102** to **100**.

Hospitalizations and deaths to date

We have detailed case report data on 4,060,184 cases, and hospitalization status for 3,988,052 (98.2%) of them:

- **191,565 cases (4.8%)** were hospitalized, of whom:
 - **29,556 (15.4%)** were admitted to the ICU

The provinces and territories provided detailed case report forms for **45,529** deaths related to COVID-19.

Figure 7a. Age and gender³ distribution of COVID-19 cases hospitalized in Canada as of September 2, 2022, 9 am ET (n=191,376¹)




Figure 7b. Age and gender³ distribution of COVID-19 cases admitted to ICU in Canada as of September 2, 2022, 9 am ET (n=29,520¹)





Figure 7c. Age and gender ³ distribution of COVID-19 cases deceased in Canada as of September 2, 2022, 9 am ET (n=45,440 ¹)



Data note: Figure 7 includes COVID-19 cases hospitalized, admitted to ICU, and deceased for which age and gender information were available. Therefore, some COVID-19 hospitalizations, ICU admissions, and deaths may not be included in Figure 7.

Age and gender ⁴ distribution of COVID-19 cases hospitalized in Canada as of September 2, 2022, 9 am ET (n=191,376 ¹)

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-11	5,255 (2.7%)	2,937 (1.5%)	2,317 (1.2%)	1 (0.0%)
12-19	2,318 (1.2%)	971 (0.5%)	1,347 (0.7%)	0 (0.0%)
20-29	8,615 (4.5%)	3,131 (1.6%)	5,483 (2.9%)	1 (0.0%)
30-39	12,923 (6.8%)	5,184 (2.7%)	7,739 (4.0%)	0 (0.0%)
40-49	14,015 (7.3%)	7,807 (4.1%)	6,207 (3.2%)	1 (0.0%)
50-59	22,010 (11.5%)	13,005 (6.8%)	9,005 (4.7%)	0 (0.0%)
60-69	31,125 (16.3%)	18,170 (9.5%)	12,955 (6.8%)	0 (0.0%)
70-79	39,030 (20.4%)	22,066 (11.5%)	16,964 (8.9%)	0 (0.0%)
80+	56,085 (29.3%)	27,422 (14.3%)	28,663 (15.0%)	0 (0.0%)

Age and gender ⁴ distribution of COVID-19 cases admitted to ICU in Canada as of September 2, 2022, 9 am ET (n=29,520 ¹)

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-11	493 (1.7%)	270 (0.9%)	223 (0.8%)	0 (0.0%)
12-19	241 (0.8%)	124 (0.4%)	117 (0.4%)	0 (0.0%)
20-29	929 (3.1%)	503 (1.7%)	426 (1.4%)	0 (0.0%)
30-39	1,754 (5.9%)	1,019 (3.5%)	735 (2.5%)	0 (0.0%)
40-49	2,898 (9.8%)	1,776 (6.0%)	1,122 (3.8%)	0 (0.0%)
50-59	5,391 (18.3%)	3,482 (11.8%)	1,909 (6.5%)	0 (0.0%)
60-69	7,496 (25.4%)	4,759 (16.1%)	2,737 (9.3%)	0 (0.0%)
70-79	6,851 (23.2%)	4,313 (14.6%)	2,538 (8.6%)	0 (0.0%)
80+	3,467 (11.7%)	2,044 (6.9%)	1,423 (4.8%)	0 (0.0%)

Age and gender ⁴ distribution of COVID-19 cases deceased in Canada as of September 2, 2022, 9 am ET (n=45,440 ¹)

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-11	38 (0.1%)	17 (0.0%)	21 (0.0%)	0 (0.0%)
12-19	23 (0.1%)	11 (0.0%)	12 (0.0%)	0 (0.0%)
20-29	144 (0.3%)	89 (0.2%)	55 (0.1%)	0 (0.0%)
30-39	333 (0.7%)	205 (0.5%)	128 (0.3%)	0 (0.0%)
40-49	713 (1.6%)	447 (1.0%)	266 (0.6%)	0 (0.0%)
50-59	2,030 (4.5%)	1,245 (2.7%)	785 (1.7%)	0 (0.0%)
60-69	4,829 (10.6%)	3,056 (6.7%)	1,773 (3.9%)	0 (0.0%)
70-79	9,770 (21.5%)	5,936 (13.1%)	3,834 (8.4%)	0 (0.0%)
80+	27,560 (60.7%)	13,023 (28.7%)	14,537 (32.0%)	0 (0.00%)

Provincial, territorial and international reporting

For more information, please refer to provincial or territorial COVID-19 webpages:

- [British Columbia](#)
- [Alberta](#)
- [Saskatchewan](#)
- [Manitoba](#)
- [Ontario](#)
- [Quebec](#)
- [Newfoundland and Labrador](#)
- [New Brunswick](#)
- [Nova Scotia](#)
- [Prince Edward Island](#)
- [Yukon](#)
- [Northwest Territories](#)
- [Nunavut](#)
- [World Health Organization](#)
- [Centers for Disease Control and Prevention](#)
- [European Centre for Disease Control and Prevention](#)

-
- 1 This figure is based on cases for which a case report form was received by the Public Health Agency of Canada from provincial or territorial partners.
 - 2 The shaded area represents a period of accumulating data where it is expected that cases have occurred but have not yet been reported nationally. The earliest of the following dates were used as an estimate: Onset date, Specimen Collection Date, Laboratory Testing Date, Date Reported to Province or Territory, or Date Reported to PHAC.
 - 3 Where available, gender data was used; when gender data was unavailable, sex data was used. Reliable data on gender diverse respondents are unavailable due to small counts.
-

Date modified:

2022-09-02