


COVID-19 epidemiology update: Key updates

Last updated: 2023-05-09  PDF

Summary of COVID-19 cases, hospitalizations and deaths, cases following vaccination, testing and variants of concern across Canada and over time. Older versions of this report are available on the [archived reports page](#).

Update schedule: We update all sections of this page every Tuesday, except for 'Hospital use', which we update every Thursday. This page was last updated on May 9, 2023, 1 pm ET.

Weekly highlights

General trends

- Nationally, in the latest reporting week, COVID-19 activity has decreased or remained relatively stable across reporting provinces and territories with low to moderate activity levels being reported.
- The number of weekly reported COVID-19 cases decreased in the latest reporting week, while percent positivity remained relatively stable. The latest data is in line with long-term trends observed since January 2023.
- Overall outbreak incidence has been relatively stable or decreasing in all outbreak settings since January 2023, with small fluctuations in different setting types over time.
- There continues to be variation in COVID-19 trends across provinces and territories.


Hospitalizations and deaths

- Nationally, the number COVID-19 patients in hospital decreased in the latest reporting week.
- COVID-19 deaths have been decreasing since January.
- The weekly rates of COVID-19 cases hospitalized and admitted to ICU remained highest among individuals aged 80 years and older.

Variants

- Nationally, XBB.1.9, XBB.1.16, and XBB.2.3 are the only lineages that are increasing in proportion; all other lineages are either stable or decreasing.
- While the data we publish under Latest COVID-19 numbers in the Current Situation tab may include provincial or territorial data corrections or backfill (sometimes described as bulk reporting) in the week they are reported, the weekly highlights account for these data corrections and focus on recent trends.

Latest COVID-19 numbers (Last data update May 9, 2023, 1 pm ET)




- Case and death information are up to April 29, 2023.
- Weekly change in cases includes data from 8 of the 13 Canadian provinces and territories reporting updates for the week of April 23 to April 29, 2023. Weekly change in deaths includes data from 8 of the 13 Canadian provinces and territories reporting updates for the week of April 23 to April 29, 2023.
- These reflect the changes in the case and death counts at the end of the week compared to the end of the previous week.
- Laboratory testing information is based on data from the Respiratory Virus Detection Surveillance System (RVDSS) (see [Data notes](#)).
- Weekly percent positivity is calculated as the number of positive tests divided by the total number of tests performed during the epidemiological week.
- Laboratory data represents specimens received by labs up to April 29, 2023.
- Due to changes in COVID-19 testing policies in many jurisdictions since December 2021, case counts are under-estimated.
- As of October 19, 2022, the Statistics Canada population estimates as of July 1, 2022 are being used for denominators in rate calculations.

COVID-19 Activity Levels

COVID-19 activity levels provide a high-level summary to describe when and where COVID-19 is circulating across Canada. The level of COVID-19 activity for each jurisdiction is determined by provincial and territorial ministries of health. The weekly COVID-19 activity level is based on:

- percent positivity
- long-term care facility outbreaks per 1,000,000 population, and
- wastewater trends.

Figure 1. Map of COVID-19 activity levels in Canada, by province or territory for the week of May 3 to May 9, 2023 (Last updated May 9, 2023, 1 pm ET)



COVID-19 activity levels in Canada, by province or territory for the week of May 3 to May 9, 2023 (Last updated May 9, 2023, 1 pm ET)

Province or territory	Overall COVID-19 activity level	Overall change
undefined	Moderate Activity (2)	No change
undefined	Moderate Activity (2)	No change
undefined	N/A	N/A
undefined	Moderate Activity (2)	No change
undefined	Low Activity (1)	Decrease
undefined	Moderate Activity (2)	No change

undefined	Low Activity (1)	Decrease
undefined	Moderate Activity (2)	No change
undefined	N/A	N/A
undefined	Low Activity (1)	No change
undefined	Low Activity (1)	Decrease
undefined	N/A	N/A
undefined	Low Activity (1)	No change

- a. COVID-19 activity level assessments are based on data from provincial and territorial partners for the week of X (Epi week 42). For more information on public health recommendations or risk assessments, please refer to the [provincial and territorial websites](#). More information on COVID-19 activity levels, how they are calculated, and relevant data caveats, can be found in the [Technical Notes](#).

COVID-19 activity levels are based on data from provincial and territorial (PT) partners. National COVID-19 activity levels were developed with PT partners to monitor COVID-19 activity at the national and PT levels using a standard set of core indicators. Based on these indicators, COVID-19 activity can range from level 0 (no activity) to level 4 (high activity). They are presented with the overall change (increase, decrease, no change) from the previous week.

Indicators: The overall COVID-19 activity level is assessed based on the following three indicators, where available:

1. Weekly percent positivity

Weekly number of lab positive tests / Weekly total number of tests x 100.

Note: This indicator is only incorporated into overall assessment if the testing rate is greater than or equal to 100 tests per 100,000 population per week. This indicator is used to provide information about overall activity level and trajectory.

2. Weekly long term care facility (LTCF) outbreaks per 1,000,000 population

Weekly number of LTCF outbreaks / Total population in jurisdiction x 1,000,000.

Note: This indicator is used to provide information on overall activity level and trajectory.

3. Weekly COVID-19 wastewater trajectory

Trajectory of weekly COVID-19 wastewater viral levels compared to the previous week.

Note: This indicator is used to provide information on overall trajectory only.

Assessment process: The overall COVID-19 activity level is assessed based on the following three indicators, where available:

Impacts of COVID-19

- Frequency and impact of longer-term symptoms following COVID-19 in Canadian adults
- Impacts of the COVID-19 Pandemic on Canadian Children with Cognitive, Behavioural or Emotional Disabilities

COVID-19 inequalities

- Social inequalities in COVID-19 deaths in Canada

Provincial, territorial and international reporting

For more information, please refer to provincial or territorial COVID-19 webpages:

- [British Columbia](#)
- [Alberta](#)
- [Saskatchewan](#)
- [Manitoba](#)
- [Ontario](#)
- [Quebec](#)
- [Newfoundland and Labrador](#)
- [New Brunswick](#)
- [Nova Scotia](#)
- [Prince Edward Island](#)
- [Yukon](#)
- [Northwest Territories](#)
- [Nunavut](#)

For more information, please refer to international COVID-19 webpages:

- [World Health Organization](#)
- [US Centers for Disease Control and Prevention](#)
- [European Centre for Disease Control and Prevention](#)

You might also be interested in

[COVID-19 wastewater surveillance dashboard](#)

Trend data about the levels of COVID-19 in the wastewater.

[COVID-19 vaccination](#)

Number of COVID-19 vaccine doses that have been administered in Canada.

[All Health Infobase data products](#)

Did you find what you were looking for?

What was wrong?

Answers to frequently asked questions can be found in the [Understanding the data section!](#)


- The answer I need is missing
- The information isn't clear
- I'm not in the right place
- Something is broken or incorrect
- Other reason

Please provide more details

(Don't include any personal information. Note that you will not receive a reply.)

Maximum 300 characters

COVID-19 epidemiology update: Current situation

Last updated: 2023-01-26  PDF

Summary of COVID-19 cases, hospitalizations and deaths, cases following vaccination, testing and variants of concern across Canada and over time. Older versions of this report are available on the [archived reports page](#).

Update schedule: We update all sections of this page every Tuesday, except for 'Hospital use', which we update every Thursday. This page was last updated on .

Latest COVID-19 numbers (Last data update)

Weekly change in cases

4,992

Total cases

4,665,486

Weekly change in deaths

113

Total deaths


52,231

- Case and death information are up to April 29, 2023.
- Weekly change in cases includes data from 8 of the 13 Canadian provinces and territories reporting updates for the week of April 23 to April 29, 2023. Weekly change in deaths includes data from 8 of the 13 Canadian provinces and territories reporting updates for the week of April 23 to April 29, 2023.
- These reflect the changes in the case and death counts at the end of the week compared to the end of the previous week.
- Due to changes in COVID-19 testing policies in many jurisdictions since December 2021, case counts are under-estimated.
- As of October 19, 2022, the Statistics Canada population estimates as of July 1, 2022 are being used for denominators in rate calculations.

National and regional trends

Figure 1. of of COVID-19, for the week of April 23 to April 29, 2023

(Last data update May 9, 2023, 1 pm ET)



The count of cases of COVID-19 for the week of April 23 to April 29, 2023 in **Canada** was **4,992**.

- This information is based on data our provincial and territorial partners published on cases and deaths. The numbers provided reflect cases, deaths up to up to April 29, 2023. For the most up to date data for any province, territory or city, please visit their [website](#). The number of cases or deaths reported may differ slightly from those on the provincial and territorial websites as these websites may update historic case and death counts as new information becomes available.
- Due to changes in COVID-19 testing policies in many jurisdictions since December 2021, case counts are under-estimated.
- On April 23, 2023, BC started reporting on people who had had multiple COVID-19 infections. Previously, BC only reported 1 COVID-19 infection per person. For this reason, BC data after April 23, 2023 shouldn't be compared to earlier data.
- As of April 11, 2022, Nunavut no longer publishes regular COVID-19 updates.

e. As of June 13, 2022, Northwest Territories no longer publishes regular COVID-19 updates.

f. As of November 16, 2022, Yukon no longer publishes regular COVID-19 updates.

Areas in Canada with cases of COVID-19

Location	Total cases		Cases (latest week)		Cases (latest 2 weeks)		Total deaths		Deaths (latest week)		Deaths (latest 2 weeks)	
	Count	Rate ^a	Count	Rate ^a	Count	Rate ^a	Count	Rate ^a	Count	Rate ^a	Count	Rate ^a
British Columbia	400,661	7,532	636	12	1,167	22	5,518	104	42	0.8	88	1.6
Alberta	632,099	13,913	341	8	724	16	5,718	126	10	0.2	23	0.5
Saskatchewan	155,381	13,005	N/A	N/A	N/A	N/A	1,960	164	N/A	N/A	N/A	N/A
Manitoba	155,944	11,066	96	7	219	16	2,499	177	6	0.4	16	1.1
Ontario	1,616,237	10,697	1,514	10	3,218	21	16,488	109	7	0.1	32	0.2
Quebec	1,339,015	15,399	2,138	25	4,574	53	17,814	205	32	0.4	66	0.8
Newfoundland and Labrador	55,261	10,506	N/A	N/A	N/A	N/A	337	64	N/A	N/A	N/A	N/A
New Brunswick	90,652	11,163	78	10	158	19	883	109	4	0.5	6	0.7
Nova Scotia	142,941	14,018	164	16	356	35	850	83	9	0.9	12	1.2
Prince Edward Island	57,251	33,541	25	15	68	40	103	60	3	1.8	7	4.1
Yukon	4,989	11,393	N/A	N/A	N/A	N/A	32	73	N/A	N/A	N/A	N/A
Northwest Territories	11,511	25,241	N/A	N/A	N/A	N/A	22	48	N/A	N/A	N/A	N/A
Nunavut	3,531	8,713	N/A	N/A	N/A	N/A	7	17	N/A	N/A	N/A	N/A
Canada	4,665,486	11,984	4,992	13	10,727	28	52,231	134	113	0.3	251	0.6

a. * Rate per 100,000 population

Epidemic curve

As of June 25, 2021, 9 am ET, PHAC has received detailed case report data on cases.

The shaded area for Figures 2 and 3 represents a period of accumulating data where it is known or expected that cases, and severe outcomes have occurred but have not yet been reported nationally. We update this information as it becomes available.

Due to changes in COVID-19 testing policies in many jurisdictions since December 2021, case counts are under-estimated.

Figure 2a. COVID-19 cases (n=) in Canada by date as of (total cases)

Figure 2b. COVID-19 deaths (n=) in Canada by date as of (total deaths)

- a. This figure reflects detailed case information provided to the Public Health Agency of Canada (PHAC) by health authorities in the provinces and territories. This data is updated every week. It may change as we get more information about cases.
- b. The earliest of the following dates were used to determine the week in which a case or death is presented: Onset date, Specimen Collection Date, Laboratory Testing Date, Date Reported to Province or Territory, or Date Reported to PHAC.

Cases by age and gender

We have detailed case report data from 99,853 cases. We know the age of patients in 99.9% of cases, and both age and gender in 99.6% of cases.

Of the cases reported in Canada so far, 54.9% were female and 33.8% were between 20 and 39 years old (Figure 3).

Figure 3. Weekly of COVID-19 by age group in Canada as of {date}

- a. This figure reflects detailed case information provided to the Public Health Agency of Canada (PHAC) by health authorities in the provinces and territories. This data is updated every week. It may change as we get more information about cases.
- b. The earliest of the following dates were used to determine the week in which a case or death is presented: Onset date, Specimen Collection Date, Laboratory Testing Date, Date Reported to Province or Territory, or Date Reported to PHAC.
- c. Due to changes in COVID-19 testing policies in many jurisdictions since December 2021, case counts are under-estimated
- d. As of October 19, 2022, the Statistics Canada population estimates as of July 1, 2022 are being used for denominators in rate calculations.

Figure 4a. Age and gender distribution of COVID-19 cases in Canada as of (n=4,365,106)




Figure 4b. Age and gender distribution of COVID-19 cases hospitalized in Canada as of (n=244,336)




Figure 4c. Age and gender distribution of COVID-19 cases admitted to ICU in Canada as of (n=35,521)





Figure 4d. Age and gender distribution of COVID-19 cases deceased in Canada as of (n=34,350)



- This figure reflects detailed case information provided to the Public Health Agency of Canada (PHAC) by health authorities in the provinces and territories. This data is updated every week. It may change as we get more information about cases.
- This figure includes COVID-19 cases hospitalized, admitted to ICU, and deceased for which age and gender information were available. Therefore, some COVID-19 hospitalizations, ICU admissions, and deaths may not be included.

Age and gender distribution of COVID-19 cases in Canada as of (n=4,365,106)

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-11	421,506 (9.6%)	219,124 (11.1%)	200,264 (8.4%)	31 (13.8%)
12-19	331,076 (7.6%)	158,542 (8.0%)	170,884 (7.1%)	25 (11.2%)
20-29	753,044 (17.2%)	330,260 (16.8%)	419,173 (17.5%)	47 (21.0%)
30-39	725,755 (16.6%)	310,614 (15.8%)	412,722 (17.2%)	40 (17.9%)
40-49	637,611 (14.6%)	269,209 (13.7%)	366,607 (15.3%)	32 (14.3%)
50-59	552,645 (12.6%)	245,181 (12.4%)	306,000 (12.8%)	27 (12.1%)
60-69	367,444 (8.4%)	179,118 (9.1%)	187,438 (7.8%)	17 (7.6%)
70-79	252,994 (5.8%)	127,496 (6.5%)	125,031 (5.2%)	4 (1.8%)
80+	337,754 (7.7%)	131,125 (6.7%)	206,094 (8.6%)	1 (0.4%)

Age and gender distribution of COVID-19 cases hospitalized in Canada as of (n=244,336)

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-11	7,207 (2.9%)	4,040 (1.7%)	3,166 (1.3%)	1 (0.0%)
12-19	2,706 (1.1%)	1,150 (0.5%)	1,556 (0.6%)	0 (0.0%)
20-29	9,851 (4.0%)	3,537 (1.4%)	6,313 (2.6%)	1 (0.0%)
30-39	14,649 (6.0%)	5,818 (2.4%)	8,831 (3.6%)	0 (0.0%)
40-49	15,597 (6.4%)	8,617 (3.5%)	6,979 (2.9%)	1 (0.0%)
50-59	25,147 (10.3%)	14,729 (6.0%)	10,418 (4.3%)	0 (0.0%)
60-69	38,510 (15.8%)	22,194 (9.1%)	16,316 (6.7%)	0 (0.0%)
70-79	52,494 (21.5%)	29,560 (12.1%)	22,933 (9.4%)	1 (0.0%)
80+	78,175 (32.0%)	38,765 (15.9%)	39,410 (16.1%)	0 (0.0%)

Age and gender distribution of COVID-19 cases admitted to ICU in Canada as of (n=35,521)


Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-11	745 (2.1%)	420 (1.2%)	325 (0.9%)	0 (0.0%)
12-19	305 (0.9%)	161 (0.5%)	144 (0.4%)	0 (0.0%)
20-29	1,068 (3.0%)	581 (1.6%)	487 (1.4%)	0 (0.0%)
30-39	2,017 (5.7%)	1,172 (3.3%)	845 (2.4%)	0 (0.0%)
40-49	3,226 (9.1%)	1,972 (5.6%)	1,254 (3.5%)	0 (0.0%)
50-59	6,042 (17.0%)	3,893 (11.0%)	2,149 (6.0%)	0 (0.0%)
60-69	8,824 (24.8%)	5,506 (15.5%)	3,318 (9.3%)	0 (0.0%)
70-79	8,526 (24.0%)	5,347 (15.1%)	3,179 (8.9%)	0 (0.0%)
80+	4,768 (13.4%)	2,807 (7.9%)	1,961 (5.5%)	0 (0.0%)

Age and gender distribution of COVID-19 cases deceased in Canada as of (n=34,350)

Age group (years)	Number of cases with case reports (percentage)	Number of male cases (percentage)	Number of female cases (percentage)	Number of other cases (percentage)
0-11	44 (0.1%)	20 (0.1%)	24 (0.1%)	0 (0.0%)
12-19	18 (0.1%)	10 (0.0%)	8 (0.0%)	0 (0.0%)
20-29	123 (0.4%)	73 (0.2%)	50 (0.1%)	0 (0.0%)
30-39	307 (0.9%)	193 (0.6%)	114 (0.3%)	0 (0.0%)
40-49	657 (1.9%)	407 (1.2%)	250 (0.7%)	0 (0.0%)
50-59	1,728 (5.0%)	1,049 (3.1%)	679 (2.0%)	0 (0.0%)
60-69	4,074 (11.9%)	2,555 (7.4%)	1,519 (4.4%)	0 (0.0%)
70-79	7,587 (22.1%)	4,685 (13.6%)	2,902 (8.4%)	0 (0.0%)
80+	19,812 (57.7%)	9,657 (28.1%)	10,155 (29.6%)	0 (0.00%)

Hospital use

Figure 5. Daily number of hospital beds and ICU beds occupied by COVID-19 patients as of May 2, 2023



Between April 25, 2023 and May 2, 2023:

- the total number of **hospital beds** occupied by COVID-19 patients **decreased** from **3,072** to **2,881** beds.
- the number of **non-ICU beds** occupied by COVID-19 patients **decreased** from **2,944** to **2,753** beds.
- the number of **ICU beds** occupied by COVID-19 patients **remains unchanged** from **128** to **128** beds.
- the number of **COVID-19 patients who were mechanically vented** **decreased** from **70** to **69**.

You might also be interested in

[COVID-19 wastewater surveillance dashboard](#)

Trend data about the levels of COVID-19 in the wastewater.

[COVID-19 vaccination](#)

Number of COVID-19 vaccine doses that have been administered in Canada.

[All Health Infobase data products](#)

Did you find what you were looking for?

What was wrong?

Answers to frequently asked questions can be found in the [Understanding the data section!](#)


- The answer I need is missing
- The information isn't clear
- I'm not in the right place
- Something is broken or incorrect
- Other reason

Please provide more details

(Don't include any personal information. Note that you will not receive a reply.)

Maximum 300 characters

COVID-19 epidemiology update: Cases following vaccination

Last updated: 2023-01-26  PDF

Summary of COVID-19 cases, hospitalizations and deaths, cases following vaccination, testing and variants of concern across Canada and over time. Older versions of this report are available on the [archived reports page](#).

Changes to COVID-19 cases following vaccination reporting

We no longer report data on cases following vaccination. Historical data on cases following vaccination are still available on the [archived reports page](#). The most recent report was on October 14, 2022.

We no longer report data on cases following vaccination. We used to publish data on the vaccination status of COVID-19 cases, hospitalizations and deaths to help understand the impact of vaccination on COVID-19. We can no longer use this data for this purpose for the following reasons.

- A rapid increase in cases (starting in December 2021) led to changes in testing policies in order to preserve testing capacity. People at high risk of severe disease were now prioritized for laboratory testing. These same people were also [prioritized for COVID-19 boosters](#). This meant that the people being tested were more likely than the general population to have received boosters and to get severe illness. This leads to a data bias which could cause people to mistakenly conclude that more vaccines lead to severe disease.
- Most Canadians, whether vaccinated or not, have had COVID-19 at least once. This makes it difficult to separate the impacts of immunity from disease, immunity from vaccine and immunity from both. Learn more about [hybrid immunity](#).

There are other resources that provide analyses and evidence of the impact of vaccination on COVID-19 outcomes, including:

- [Provincial and territorial data](#)
- [COVID-19 vaccine chapter](#) of the *Canadian Immunization Guide*
- [Statements and guidance documents](#) published by the National Advisory Committee on Immunization

You might also be interested in

[COVID-19 wastewater surveillance dashboard](#)

Trend data about the levels of COVID-19 in the wastewater.

[COVID-19 vaccination](#)

Number of COVID-19 vaccine doses that have been administered in Canada.

All Health Infobase data products

Did you find what you were looking for?

What was wrong?

Answers to frequently asked questions can be found in the [Understanding the data section!](#)


- The answer I need is missing
- The information isn't clear
- I'm not in the right place
- Something is broken or incorrect
- Other reason

Please provide more details

(Don't include any personal information. Note that you will not receive a reply.)

Maximum 300 characters

COVID-19 epidemiology update: Testing and variants

Last updated: 2023-01-26  PDF

Summary of COVID-19 cases, hospitalizations and deaths, cases following vaccination, testing and variants of concern across Canada and over time. Older versions of this report are available on the [archived reports page](#).

Update schedule: We update 'Key COVID-19 testing updates' and 'Testing in Canada' every Tuesday. We update 'COVID-19 variants in Canada' every Friday. This page was last updated on .

Change to update schedule

Our update schedule is changing. We will update this page every Tuesday, beginning on April 25, 2023.

Key COVID-19 testing updates (Last data update)

Weekly tests reported

37,889


Weekly percent positivity

10.0%

- Laboratory testing information is based on data from the Respiratory Virus Detection Surveillance System (RVDSS) (see [Data notes](#)).
- Weekly percent positivity is calculated as the number of positive tests divided by the total number of tests performed during the epidemiological week.
- Laboratory data represents specimens received by labs up to April 29, 2023.
- Due to changes in COVID-19 testing policies in many jurisdictions since December 2021, case counts are under-estimated.

Testing in Canada

Figure 1. **Weekly percent positive** for COVID-19 by select laboratories, by province or territory up to April 29, 2023 (Last data update May 9, 2023, 1 pm ET)



The percentage of weekly positive tests up to April 29, 2023 in **Canada** was **10.0%**.

- a. This information is based on testing data provided to the Public Health Agency of Canada (PHAC) by health authorities in the provinces and territories. The numbers provided reflect tests up to April 29, 2023. For the most up to date data for any province, territory or city, please visit their [website](#).
- b. Weekly percent positivity is calculated as the number of positive tests divided by the total number of tests performed during the epidemiological week.

- c. Case counts are under-estimated due to changes in COVID-19 testing policies in many jurisdictions since December 2021.
- d. The data represent surveillance data available through RVDSS up to April 29, 2023. N.A represents missing data. We update data retroactively when we receive delayed data reports.

Testing in Canada for COVID-19

Location	Weekly tests reported	Weekly percent positive
British Columbia	3,629	18.1%
Alberta	3,917	9.2%
Saskatchewan	1,839	8.8%
Manitoba	1,325	10.4%
Ontario	9,082	7.9%
Quebec	15,225	9.2%
Newfoundland and Labrador	482	9.5%
New Brunswick	704	11.9%
Nova Scotia	1,342	15.6%
Prince Edward Island	172	14.5%
Yukon	42	7.1%
Northwest Territories	18	0.0%
Nunavut	112	1.8%
Canada	37,889	10.0%

On December 5, 2022, we changed surveillance systems for monitoring laboratory testing of SARS-CoV-2, the virus that causes COVID-19. We now use the Respiratory Virus Detection Surveillance System (RVDSS). Before December 5, we used the System for Analyzing Laboratory Test counts (SALT).

SALT was set up early in the COVID-19 pandemic to monitor daily SARS-CoV-2 testing volumes, and the percent of tests that were positive.

RVDSS is a longstanding surveillance system that collects data from laboratories across Canada on:

- the number of tests performed in participating laboratories and
- the number of positive tests for respiratory viruses

RVDSS mostly collects data from the tests of people who had COVID-19 symptoms or exposures, in order to assess trends in transmission via test positivity. RVDSS allows us to monitor COVID-19 in the context of other respiratory viruses.

The SALT and RVDSS data are not directly comparable.

- RVDSS data on COVID-19 is available starting the week of August 28, 2022 (Week 1 of the 2022/23 influenza season). SALT data are available starting February 1, 2020.
- Test positivity is higher in RVDSS than SALT. This is because tests reported to RVDSS are usually collected for clinical investigations, meaning people with symptoms or exposure to COVID-19, resulting in a higher proportion of positive tests.
- RVDSS presents all data by epidemiological week, while SALT presented daily data. [Historical SALT testing data is available.](#)

The number of laboratories participating in RVDSS can vary week to week and across provinces and territories. As a result, the numbers of tests performed cannot be directly compared between provinces and territories. The number of tests reported may be used to add context to interpret weekly percent positivity.

For information on other respiratory viruses circulating in Canada, and comparisons with COVID-19, please visit the [weekly RVDSS report.](#)

COVID-19 variants in Canada

All viruses, including COVID-19, change over time. These changes are called mutations, and result in variants of the virus. Not all mutations are of concern. Most do not cause more severe illness. However, some mutations result in variants of concern or variants of interest.

A variant of concern has mutations that are significant to public health. Before a variant of interest is considered one of concern, scientists and public health professionals must determine if the mutations result in an actual change in the behaviour of the virus. For example, it might:

- spread more easily
- cause more severe illness
- require different treatments, or
- reduce vaccine effectiveness

The Public Health Agency of Canada (PHAC) works with provincial and territorial partners and the Canadian COVID-19 Genomics Network ([CanCOGeN](#)) to sequence a percentage of all positive COVID-19 test results. Sequencing reveals the genetic code of the virus, which tells us which variant is involved in a specific case of COVID-19. We report the proportion of COVID-19 variants in Canada every week.

We collect evidence to determine if new variants meet the definition for a variant of concern or a variant of interest. Many variants are being tracked across Canada and around the world.

Currently, Omicron and its sub-lineages are the primary variants of COVID-19 circulating in Canada. Evidence demonstrates that Omicron is more transmissible than previous variants of concern.


Previous variants of concern in Canada are as follows:

- Alpha
- Beta
- Gamma
- Delta

Staying up to date with COVID-19 vaccination continues to be one of the most effective ways to protect against serious illness, hospitalization, and death from COVID-19. Canada now has access to two updated bivalent vaccines that are expected to provide better protection against the Omicron variant of concern.

Figure 2. Weekly variant breakdown Updated: May 05, 2023, 4 pm EDT

i The graphic shows the percentage mix of COVID-19 variants detected in Canada through whole genome sequencing, by week of sample collection. You can see the numbers for each date by hovering over, tabbing to, or long-pressing any of the bars. To see a specific variant or variant grouping, click or press return. Repeat to restore the complete graph. Sublineages or offshoots for some variants can be revealed or hidden by clicking on the name of the variant in the legend.



This information is based on whole genome sequencing from surveillance testing in all provinces and territories. In addition to sequencing done by the National Microbiology Laboratory in Winnipeg, data is included from provincial and territorial laboratories.

Sequencing takes from 1 to 3 weeks to complete, so the proportions for recent weeks may change as more data are added. Surveillance in each province or territory is organized and prioritized according to local needs and may change from time to time. Because of differences in local sampling and reporting, the percentages illustrate trends rather than precise measurements.

Weekly variant breakdown

Percentage of COVID-19 cases identified through whole genome sequencing, presented by variant and by week of sample collection.

Percentage of COVID-19 cases identified through whole genome sequencing, presented by variant and by week of sample collection.

Variant Grouping	Feb 12, 2023 (n=2,792)	Feb 19, 2023 (n=2,811)	Feb 26, 2023 (n=2,467)	Mar 05, 2023 (n=2,678)	Mar 12, 2023 (n=2,627)	Mar 19, 2023 (n=2,581)	Mar 26, 2023 (n=2,370)	Apr 02, 2023 (n=1,851)	Apr 09, 2023 (n=1,935)
Omicron	57.3%	49.7%	38.2%	27.7%	24.2%	18.3%	16.4%	13.4%	10.5%
Other Omicron	-	-	-	-	-	0.0%	-	-	-
BA.1	-	-	0.0%	0.1%	-	-	-	0.1%	-
BA.2	4.5%	3.3%	3.5%	4.6%	4.8%	4.0%	4.8%	3.1%	3.9%
BA.2	0.0%	-	0.0%	0.0%	-	-	-	-	-
BA.2.12.1	0.1%	-	-	0.0%	-	0.0%	0.0%	-	-
BA.2.3	-	-	-	-	-	-	-	0.1%	-
Other BA.2	4.4%	3.3%	3.5%	4.6%	4.8%	4.0%	4.8%	3.0%	3.9%
BA.3	0.1%	0.0%	0.1%	0.0%	-	0.0%	-	0.1%	0.1%
BA.4	-	0.0%	0.0%	-	-	-	-	0.2%	0.2%
BA.4	-	-	-	-	-	-	-	0.1%	0.2%
BA.4.6	-	-	-	-	-	-	-	0.1%	-
Other BA.4	-	0.0%	0.0%	-	-	-	-	-	-
BA.5	52.7%	46.4%	34.6%	23.0%	19.4%	14.3%	11.6%	9.9%	6.3%
BA.5.1	-	-	-	-	-	-	-	-	-
BA.5.2	0.1%	0.1%	-	0.0%	-	-	-	0.1%	-
BA.5.2.1	0.1%	0.2%	0.2%	0.1%	0.1%	0.0%	0.0%	-	-
BQ.1	3.2%	2.3%	3.5%	1.4%	0.4%	0.2%	0.5%	0.5%	0.1%
BQ.1.1	18.1%	16.8%	11.8%	6.6%	5.6%	4.5%	3.9%	2.8%	1.5%
Other BA.5	31.2%	27.0%	19.1%	14.9%	13.3%	9.6%	7.2%	6.5%	4.7%
Other variants	42.8%	50.3%	61.8%	72.2%	75.8%	81.6%	83.6%	86.8%	89.7%
Recombinants	42.8%	50.3%	61.8%	72.2%	75.8%	81.6%	83.6%	86.8%	89.7%
Other Recombinants	14.2%	16.4%	20.4%	25.8%	26.8%	29.2%	31.4%	39.2%	41.7%

Variant Grouping	Feb 12, 2023 (n=2,792)	Feb 19, 2023 (n=2,811)	Feb 26, 2023 (n=2,467)	Mar 05, 2023 (n=2,678)	Mar 12, 2023 (n=2,627)	Mar 19, 2023 (n=2,581)	Mar 26, 2023 (n=2,370)	Apr 02, 2023 (n=1,851)	Apr 09, 2023 (n=1,935)
XBB.1.5	28.6%	33.9%	41.4%	46.4%	49.0%	52.4%	52.2%	47.6%	48.0%

[Downloadable data \(in .csv format\).](#)

Note: The shaded columns on the right represent a period of accumulating data.

Contributing laboratories:

- Saskatchewan - Roy Romanow Provincial Laboratory (RRPL)
- Public Health Ontario (PHO)
- Nova Scotia Health Authority
- Newfoundland and Labrador - Eastern Health
- New Brunswick - Vitalité Health Network
- Manitoba Cadham Provincial Laboratory
- Laboratoire de santé publique du Québec (LSPQ)
- BCCDC Public Health Laboratory
- Alberta Precision Labs (APL)
- National Microbiology Laboratory (NML) - supplemental sequencing for all provinces and territories

National Microbiology Laboratory (NML) - supplemental sequencing for all provinces and territories

You might also be interested in

[COVID-19 wastewater surveillance dashboard](#)

Trend data about the levels of COVID-19 in the wastewater.

[COVID-19 vaccination](#)

Number of COVID-19 vaccine doses that have been administered in Canada.

[All Health Infobase data products](#)

Did you find what you were looking for?

What was wrong?

Answers to frequently asked questions can be found in the [Understanding the data section!](#)


- The answer I need is missing
- The information isn't clear
- I'm not in the right place
- Something is broken or incorrect
- Other reason

Please provide more details

(Don't include any personal information. Note that you will not receive a reply.)

Maximum 300 characters

COVID-19 epidemiology update: Outbreaks

Last updated: 2023-05-09  PDF

Summary of COVID-19 cases, hospitalizations and deaths, cases following vaccination, testing and variants of concern across Canada and over time. Older versions of this report are available on the [archived reports page](#).

Update schedule: We update this page every Tuesday. This page was last updated on May 9, 2023, 1 pm ET.

Change to update schedule

Our update schedule is changing. We will update this page every Tuesday, beginning on April 25, 2023.

The Public Health Agency of Canada (PHAC) regularly receives COVID-19 outbreak data from health authorities in the provinces and territories. This page summarizes outbreaks in Canada by setting and by size, and is updated weekly. Data may change retroactively if there are changes to:

- provincial or territorial COVID-19 testing strategies
- provincial or territorial reporting of outbreaks
- data collection methods, or
- outbreak management methods

Outbreak definitions vary across the country, but we use a national outbreak definition for all outbreaks. An outbreak is 2 or more confirmed cases of COVID-19 which are epidemiologically linked to a specific setting or location. It does **not** include:

- households (since household cases may not be declared or managed as an outbreak if the risk of transmission is contained)
- cases that are geographically clustered (such as in a region, city, or town) but not epidemiologically linked
- cases attributed to community transmission

In December 2021, the highly contagious Omicron variant caused a rapid increase in cases. This surge affected public health and testing capacity, which led to a change in testing strategies and limited contact tracing. This made it harder for provinces and territories to link cases. As a result, outbreaks were undercounted. The provinces and territories still consistently report cases of COVID-19 in high-priority settings. However, most no longer report cases in community settings, such as schools, recreational facilities and stores.

- **Acute care:** Hospital or similar setting where patients receive short-term treatment for an injury or severe episode of illness, an urgent medical condition, or during recovery from surgery. Acute care settings include:
 - hospitals
 - emergency departments
 - urgent care
 - transitional care
 - convalescent care
 - short-term inpatient rehabilitation centres
- **Congregate living** includes:
 - retirement residences
 - assisted/supportive living
 - group homes
 - residential treatment centres
 - transition centres
 - shelters
 - student dormitories
- **Correctional facilities** include:
 - provincial jails and prisons
 - federal jails and prisons
 - youth correction centres
- **Long-term care facilities** include both public and private facilities that provide living accommodations for people who require full-time supervised care, including professional health services, personal care, and other services (meals, laundry, cleaning)

Showing outbreaks data from 2021-01-09 to 2023-04-29.

The shaded area on the far right of Figure 1 and Figure 2 represents a period of accumulating data. This is the period of time (1 to 2 weeks) before the latest outbreaks are reported to PHAC. This delay is a result of the time required to identify cases and declare outbreaks. We update this figure as more data becomes available.

Figure 1. Weekly number of outbreaks by setting





Figure 2. Weekly number of outbreaks by outbreak size for all settings



Between January 2, 2022 and April 29, 2023:

- Acute care accounted for 26% of outbreaks. The median outbreak size was 7 cases per outbreak.

- Congregate living accounted for 39% of outbreaks. The median outbreak size was 10 cases per outbreak.
- Correctional facilities accounted for 1% of outbreaks. Median outbreak size was 8 cases per outbreak.
- Long-term care facilities accounted for 33% of outbreaks. Median outbreak size was 11 cases per outbreak.

Table 1. Summary statistics of COVID-19 outbreak size by setting, all time all time ▾

Setting	Median case count	Average case count	Number of outbreaks
Acute care	7	10	3,097
Congregate living	10	16	4,562
Correctional facilities	8	23	169
Long-term care facility	11	16	3,943

You might also be interested in

[COVID-19 wastewater surveillance dashboard](#)

Trend data about the levels of COVID-19 in the wastewater.

[COVID-19 vaccination](#)

Number of COVID-19 vaccine doses that have been administered in Canada.

[All Health Infobase data products](#)

Did you find what you were looking for?

What was wrong?

Answers to frequently asked questions can be found in the [Understanding the data section!](#)

- The answer I need is missing
- The information isn't clear
- I'm not in the right place
- Something is broken or incorrect
- Other reason

Please provide more details

(Don't include any personal information. Note that you will not receive a reply.)

Maximum 300 characters

Date modified:

2023-05-09